

PRICE LIST
OF
U. S. STANDARD
BOXWOOD AND IVORY
RULES,

PLUMBS AND LEVELS, TRY SQUARES,
BEVELS, GAUGES, MALLETS,
IRON AND WOOD ADJUSTABLE PLANES,
SPOKE SHAVES, SCREW DRIVERS,
AWL HAFTS, HANDLES, &c.

MANUFACTURED BY THE

STANLEY
RULE AND LEVEL CO.

NEW BRITAIN, CONN., U. S. A.

WAREROOMS:

No. 29 CHAMBERS STREET, NEW YORK.

ORDERS FILLED AT THE WAREROOMS, OR AT NEW BRITAIN.

JANUARY, 1892.

OFFICE OF THE
STANLEY RULE AND LEVEL CO.
NEW BRITAIN, CONN., U. S. A.

This Illustrated Catalogue presents the full line of
IMPROVED LABOR-SAVING--
CARPENTERS' TOOLS


now manufactured by us. It will be interesting to Hardware Dealers, as containing genuine Goods, with an established reputation. Such Goods will sell themselves.

Mechanics require no explanation, or apology, from the Dealer who offers them STANLEY'S Tools; and the uniform report from those who use these Tools is, that they want more.

Our continued efforts are pledged to produce a grade of Tools acceptable to Mechanics, and worthy the ineffectual attempts made by other manufacturers to imitate them.


JANUARY 1, 1892.

PRICE LIST.


 All Rules embraced in the following Lists bear the Invoice Number, by which they are sold, and are graduated to correspond with the description given of each.

STANLEY'S BOXWOOD RULES.


ONE FOOT, FOUR FOLD, NARROW.



- | | | |
|-----|---|----------|
| No. | | Per Doz. |
| 69. | Round Joint, Middle Plates, 8ths and 16ths of inches..... $\frac{5}{8}$ in. wide, | \$3 00 |



- | | | |
|--------------------|--|-------|
| 65. | Square Joint, Middle Plates, 8ths and 16ths of inches..... $\frac{5}{8}$ in. wide, | 3 50 |
| 64. | Square Joint, Edge Plates, 8ths and 16ths of inches..... $\frac{5}{8}$ " | 5 00 |
| 65 $\frac{1}{2}$. | Square Joint, Bound, 8ths and 16ths of inches.. $\frac{5}{8}$ " | 11 00 |



- | | | |
|-----|--|-------|
| 55. | Arch Joint, Middle Plates, 8ths and 16ths of inches..... $\frac{5}{8}$ in. wide, | 4 00 |
| 56. | Arch Joint, Edge Plates, 8ths and 16ths of inches..... $\frac{5}{8}$ " | 6 00 |
| 57. | Arch Joint, Bound, 8ths and 16ths of inches.. $\frac{5}{8}$ " | 12 00 |


TWO FEET, FOUR FOLD, NARROW.

No.		Per Doz.
68.	Round Joint, Middle Plates, 8ths and 16ths of inches.....1 in. wide,	\$4 00
61.	Square Joint, Middle Plates, 8ths and 16ths of inches.....1	" 5 00
63.	Square Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 7 00
84.	Square Joint, Half Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 12 00
62.	Square Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 15 00
51.	Arch Joint, Middle Plates, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 6 00
53.	Arch Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 8 00
53½.	Arch Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches, with inside Beveled Edges, and Architect's Drafting Scales.....1	" 15 00
	[See Engraving, p. 9.]	
52.	Arch Joint, Half Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 13 00
54.	Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 16 00
59.	Double Arch Joint, Bitted, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 9 00
60.	Double Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales.....1	" 21 00

TWO FEET, FOUR FOLD, EXTRA NARROW.

61½.	Square Joint, Middle Plates, 8ths and 16ths of inches..... $\frac{3}{4}$ in. wide,	5 50
63½.	Square Joint, Edge Plates, 8ths, 10ths and 16ths of inches..... $\frac{3}{4}$	" 8 00
62½.	Square Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches..... $\frac{3}{4}$	" 15 00

STANLEY'S TWO FEET, FOUR FOLD, NARROW RULES.



TWO FEET, FOUR FOLD, BROAD.

No.		Per Doz.
67.	Round Joint, Middle Plates, 8ths and 16ths of inches $1\frac{3}{8}$ in. wide,	\$5 00
70.	Square Joint, Middle Plates, 8ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	7 00
72.	Square Joint, Edge Plates, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	9 00
72½.	Square Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	18 00
73.	Arch Joint, Middle Plates, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	9 00
75.	Arch Joint, Edge Plates, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	11 00
76.	Arch Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	20 00
77.	Double Arch Joint, Bitted, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	12 00
78.	Double Arch Joint, Half Bound, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	20 00
78½.	Double Arch Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	24 00
83.	Arch Joint, Edge Plates, Slide, 8ths, 12ths and 16ths of inches, 100ths of a foot, and Octagonal Scales $1\frac{3}{8}$ "	14 00

BOARD MEASURE, TWO FEET, FOUR FOLD.

79.	Square Joint, Edge Plates, 12ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ in. wide,	11 00
81.	Arch Joint, Edge Plates, 12ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	13 00
82.	Arch Joint, Bound, 12ths and 16ths of inches, Drafting Scales $1\frac{3}{8}$ "	22 00


THREE FEET, FOUR FOLD RULES.

66.	Arch Joint, Middle Plates, Four Fold, 16ths of inches outside, and Yard Stick on inside. . . 1 in. wide,	8 00
66½.	Arch Joint, Middle Plates, Four Fold, 8ths and 16ths of inches 1 "	8 00

CARRIAGE MAKERS', FOUR FEET, FOUR FOLD.

94.	Arch Joint, Bound, 8ths and 16ths of inches. $1\frac{1}{2}$ in. wide,	48 00
-----	---	-------

STANLEY'S TWO FEET, FOUR FOLD, BROAD RULES.



TWO FEET, TWO FOLD.


No.		Per Doz.
29.	Round Joint, 8ths and 16ths of inches $1\frac{3}{8}$ in. wide,	\$3 50
18.	Square Joint, 8ths and 16ths of inches $1\frac{1}{2}$ "	5 00
22.	Square Joint, Bitted, Board Measure, 10ths, 12ths and 16ths of inches, Octagonal Scales. $1\frac{1}{2}$ "	8 00
1.	Arch Joint, 8ths and 16ths of inches, Octagonal Scales $1\frac{1}{2}$ "	7 00
2.	Arch Joint, Bitted, 8ths, 10ths and 16ths of inches, Octagonal Scales. $1\frac{1}{2}$ "	8 00
4.	Arch Joint, (plates on outside of wood) Bitted, Extra Thin, 8ths and 16ths of inches, Draft- ing and Octagonal Scales. $1\frac{1}{2}$ "	10 00
5.	Arch Joint, Bound, 8ths, 10ths and 16ths of inches, Drafting and Octagonal Scales. $1\frac{1}{2}$ "	16 00

TWO FEET, TWO FOLD, SLIDE.


26.	Square Joint, Slide, 8ths, 10ths and 16ths of inches, Octagonal Scales $1\frac{1}{2}$ "	9 00
27.	Square Joint, Bitted, Gunter's Slide, 8ths, 10ths and 16ths of inches, 100ths of a foot, Drafting and Octagonal Scales. $1\frac{1}{2}$ "	12 00
12.	Arch Joint, Bitted, Gunter's Slide, 8ths, 10ths and 16ths of inches, 100ths of a foot, Draft- ing and Octagonal Scales. $1\frac{1}{2}$ "	14 00
15.	Arch Joint, Bound, Gunter's Slide, 8ths, 10ths and 16ths of inches, Drafting and Octagonal Scales $1\frac{1}{2}$ "	24 00
6.	Arch Joint, Bitted, Gunter's Slide, Engineer- ing, 8ths, 10ths and 16ths of inches, 100ths of a foot, Octagonal Scales $1\frac{1}{2}$ "	18 00
16.	Arch Joint, Bound, Gunter's Slide, Engineer- ing, 8ths, 10ths and 16ths of inches, Octa- gonal Scales $1\frac{1}{2}$ "	28 00

SHIP CARPENTERS' BEVELS.


42.	Boxwood, Double Tongue, 8ths and 16ths of inches,	6 00
43.	Boxwood, Single Tongue, 8ths and 16ths of inches,	6 00

 With recently constructed machinery, we can furnish, to order, Rules marked with Spanish graduations, or with Metric graduations.


STANLEY'S TWO FEET, TWO FOLD, SLIDE RULES.



No. 12.


 We have an improved Treatise on the Gunter's Slide and Engineer's Rules, showing their utility, and containing full and complete instructions, enabling Mechanics to make their own calculations. It is also particularly adapted to the use of persons having charge of cotton or woolen machinery, surveyors, and others. 200 pages, bound in cloth. Price, \$1.00, net. Sent by mail, postpaid, on receipt of the price.

SHIP CARPENTERS' BEVELS.




No. 42.

ARCHITECTS' RULES, WITH BEVELED EDGES.



Nos. 53½ and 86½.


 For description of No. 53½ (Boxwood) see page 4, and for description of No. 86½ (Ivory) see page 11.

BOXWOOD CALIPER RULES, SIX INCH.



No.		Per Doz.
36.	Square Joint, Two Fold, 8ths, 10ths, 12ths and 16ths of inches $\frac{7}{8}$ in. wide,	\$7 00
13.	Square Joint, Two Fold, 8ths and 16ths inches, $1\frac{1}{8}$ "	10 00
13 $\frac{1}{2}$.	Square Joint, Two Fold, 8ths and 16ths inches, $1\frac{1}{2}$ "	12 00

CALIPER, ONE FOOT, FOUR FOLD.




32.	Arch Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches 1 in. wide,	12 00
32 $\frac{1}{2}$.	Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches 1 "	20 00

CALIPER, ONE FOOT, TWO FOLD.

36 $\frac{1}{2}$.	Square Joint, Two Fold, 12 inch, 8ths, 10ths, 12ths and 16ths of inches $1\frac{3}{8}$ "	12 00
--------------------	--	-------

TWO FEET, SIX FOLD RULES.



No. 58.


58.	Arch Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches $\frac{3}{4}$ in. wide,	13 00
58 $\frac{1}{2}$.	Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches $\frac{3}{4}$ "	36 00

STANLEY'S IVORY RULES.



No.	IVORY CALIPER, SIX INCH.	Per Doz.
38.	Square Joint, German Silver, Two Fold, 8ths, 10ths, 12ths and 16ths of inches $\frac{1}{8}$ in. wide,	\$15 00
40 $\frac{1}{2}$.	Square Joint, German Silver, Bound, Two Fold, 8ths and 16ths of inches $\frac{1}{4}$ " "	24 00

IVORY CALIPER, ONE FOOT, FOUR FOLD.



39.	Square Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches $\frac{1}{8}$ in. wide,	38 00
40.	Square Joint, German Silver, Bound, 8ths and 16ths of inches $\frac{1}{4}$ " "	44 00

IVORY, ONE FOOT, FOUR FOLD.

90.	Round Joint, Brass, Middle Plates, 8ths and 16ths of inches	10 00
92 $\frac{1}{2}$.	Square Joint, German Silver, Middle Plates, 8ths and 16ths of inches $\frac{1}{8}$ " "	14 00
92.	Square Joint, German Silver, Edge Plates, 8ths and 16ths of inches $\frac{1}{8}$ " "	17 00
88 $\frac{1}{2}$.	Arch Joint, German Silver, Edge Plates, 8ths and 16ths of inches $\frac{1}{8}$ " "	21 00
88.	Arch Joint, German Silver, Bound, 8ths and 16ths of inches $\frac{1}{4}$ " "	32 00
91.	Square Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches $\frac{1}{4}$ " "	23 00

IVORY, TWO FEET, FOUR FOLD.

85.	Square Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches $\frac{1}{8}$ in. wide,	54 00
86.	Arch Joint, Ger. Silv., Ed. Plates, 8ths, 10ths, 12ths, 16ths in., 100ths foot, Draft'g Scales, 1 " "	64 00
86 $\frac{1}{2}$.	Arch Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches, with Inside Beveled Edges, and Architects' Dftg. Scales, 1 " "	96 00
87.	Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales, 1 " "	80 00
89.	Double Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of in. Drafting Scales, 1 " "	92 00
95.	Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales, 1 $\frac{3}{8}$ " "	102 00
97.	Double Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of in. Drafting Scales, 1 $\frac{3}{8}$ " "	116 00

[See Engraving, p. 9.]

MISCELLANEOUS ARTICLES.

No.	BENCH RULES.	Per Doz.
34.	Bench Rule, Maple, Brass Tips.....2 feet,	\$3 00
35.	Bench Rule, Board Measure, Brass Tips.....2 "	6 00

BOARD, LOG AND WOOD MEASURES.

[For Explanation, see opposite page.]

46.	Board Stick, Octagon, Brass Caps, 8 to 23 feet....2 feet,	8 00
46½.	Board Stick, Square, Brass Caps, 8 to 23 feet....2 "	8 00
47.	Board Stick, Octagon, Brass Caps, 8 to 23 feet....3 "	12 00
47½.	Board Stick, Square, Brass Caps, 8 to 23 feet....3 "	12 00
48½.	Board Stick, Flat, Hickory, Cast Brass Head and Tip, 6 Lines, 12 to 22 feet.....3 "	12 00
49.	Board Stick, Flat, Hickory, Steel Head, Brazed, Extra Strong, 6 Lines, 12 to 22 feet.....3 "	26 00
48.	Walking Cane, Board Measure, Octagon, Hickory, Cast Brass Head and Tip, 8 Lines, 9 to 16 feet..3 "	12 00
48½.	Walking Cane, Log Measure (Doyle's Revised), Octagon, Hickory, Cast Brass Head and Tip...3 "	15 00
71.	Wood Measure, Brass Caps, 8ths of inches and 10ths of a foot.....4 "	8 00
49½.	Forwarding Stick, Cast Brass (T) Head.....5 "	24 00

YARD STICKS.

33.	Yard Stick, Polished.....	2 00
41.	Yard Stick, Brass Tips, Polished.....	3 50
50.	Yard Stick, Hickory, Brass Cap'd Ends, Polished.....	4 50

WANTAGE AND GAUGING RODS.

[For Explanation, see opposite page.]

44.	Wantage Rod, 8 Lines.....	5 00
37.	Wantage Rod, 12 Lines.....	7 00
45.	Gauging Rod, 120 gallons.....3 feet,	7 00
45½.	Gauging Rod, 180 gallons, and Wantage Tables..4 "	18 00

SADDLERS' RULE.

80.	Saddlers' Rule, Maple, Capped Ends, 8ths and 16ths of inches.....1½ in. wide, 36 inches,	9 00
-----	---	------

PATTERN MAKERS' SHRINKAGE RULES.

30.	Pattern Makers' Shrinkage Rule, Boxwood, 8ths and 16ths of inches.....24½ inches,	15 00
31.	Pattern Makers' Shrinkage Rule, Two Fold, Boxwood, Triple Plated Edge Plates, 8ths and 16ths of inches.....24½ "	18 00

BOARD AND LOG MEASURES.

NOTE.—Nos. 43½, 46, 48½, 47, 47½, 48 and 49 give the contents in Board Measure of 1 inch Boards.

DIRECTIONS.—Place the stick across the flat surface of the Board, bringing the inside of the Cap snugly to the edge of the same; then follow with the eye the Column of figures in which the length of the Board is given as the first figure under the Cap, and at the mark nearest the opposite edge of the Board will be found the contents of the Board in feet.

No. 47.



No. 47½



No. 48



No. 49.



No. 48



NOTE.—The Log Measure (No. 48½) has Doyle's Revised Tables, and gives the number of feet of one inch square edged boards which can be sawed from a log of any size, from 12 to 36 inches in diameter, and of any length. The figures immediately under the head of the Column are for the lengths of Logs in feet. Under these figures, on the same line at the mark nearest the diameter of the Log, will be found the number of feet the Log will make.

No. 45.



No. 45 Gauging Rod in Wine Measure, up to 150 gallons, on one side, and in inches and parts of inches on the other sides.
DIRECTIONS.—To ascertain the capacity of a Barrel insert the Rod in the bung hole, in a slanting direction to the chime, note point on the rod which comes exactly in the middle of the bung hole, on a line with the under side of the stave; then reverse the process, running the point of the rod to the chime at the other end of the barrel; and if the bung hole is exactly in the middle of the barrel, the result will be the same as before, and the capacity of the barrel will be shown. If the measurements differ, add them together and divide by two, and you have the number of gallons the barrel will hold.

No. 44.




No. 44 Wantage Rod has 8 Tables, or Lines, for Barrels of 16, 28, 32, 42, 48, 84, 110 and 120 Gallons.

DIRECTIONS.—Having found the capacity of the Barrel by use of the Gauge Rod, insert the Wantage Rod perpendicularly in the bung hole, holding it so that the brass lip points toward the head of the barrel; lower it slowly until the lip comes just under the inner side of the stave, then withdraw it, being careful not to let the rod go any farther into the barrel; and the mark where the rod is wet, on the line which has the full capacity of the barrel at the top, shows the number of gallons that are wanting to fill it.

STEARNS' IVORY RULES.

Formerly Manufactured in Brattleboro', Vt., by C. L. Mead, successor to E. A. Stearns & Co.


IVORY, ONE FOOT, FOUR FOLD.



No.

- | | | | |
|-----|---|------------|---------|
| | | Per Dozen, | |
| | | Unbound. | Bound. |
| 51. | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound), 13-16ths in. wide, | \$33 00 | \$44 00 |
| 52. | Square Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound), 13-16ths in. wide, | 30 00 | 40 00 |

IVORY, ONE FOOT, FOUR FOLD, CALIPER.




- | | | | |
|-----|---|-------|-------|
| 53. | Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound), 13-16ths in. wide, | 38 00 | 48 00 |
| 54. | Square Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound), 13-16ths in. wide, | 35 00 | 45 00 |

IVORY, SIX INCH, TWO FOLD, CALIPER.

- | | | |
|-----|---|-------|
| 55. | Square Joint, German Silver, 8ths and 16ths of inches 13-16ths in. wide, | 17 00 |
| 56. | Square Joint, German Silver Case, Spring Caliper, 8ths and 16ths of inches, 13-16th in. wide, | 21 00 |

IVORY, ONE FOOT, FOUR FOLD.



- | | | | |
|-----|--|-------|-------|
| 57. | Square Joint, Edge Plates, German Silver, 8ths and 16ths of inches... 5-8ths in. wide, | 20 00 | 30 00 |
|-----|--|-------|-------|

IVORY, TWO FEET, FOUR FOLD, BROAD.

No.		Per Dozen.	
		Unbound.	Bound.
47.	Arch Joint, Triple Plated Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches, 100ths of a foot, Drafting and Octagonal Scales $1\frac{1}{2}$ in. wide,	\$100 00	\$120 00

IVORY, TWO FEET, FOUR FOLD, MEDIUM.


48.	Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound), Drafting Scales $1\frac{1}{2}$ in. wide,	80 00	95 00
-----	---	-------	-------

IVORY, TWO FEET, FOUR FOLD, NARROW.

50.	Square Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound), Drafting Scales 1 in. wide,	72 00	84 00
-----	--	-------	-------

IVORY, TWO FEET, FOUR FOLD, EXTRA NARROW.


56.	Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100ths of a foot on edges of unbound) ... $\frac{3}{4}$ in. wide,	65 00	80 00
-----	---	-------	-------

IVORY, TWO FEET, SIX FOLD, EXTRA NARROW.


60.	Arch Joint, Edge Plates, German Silver, 8ths, 10ths, 12ths and 16ths of inches (100 of a foot on edges of unbound) ... $\frac{3}{4}$ in. wide,	80 00	95 00
-----	--	-------	-------

STANLEY'S PATENT

HAND-Y PLUMB AND LEVEL.



This Level can be used in horizontal position, or can be brought to perpendicular for ascertaining a plumb, with remarkable ease, as the shallow grooves along the two sides afford an excellent grip on the Tool. This Level will be especially useful in House-framing, Bridge-building and general out-of-door work.

No.

Per Doz.

16. Patent Adjustable Hand-y Plumb and Level, Cherry, Arch Top Plate, Two Side Views, Polish'd, Tipped, Ass'd, 24 to 30 inches, **\$15 00**

STANLEY'S PATENT

DUPLIX PLUMBS AND LEVELS.




These Levels have the ordinary form of leveling glass, set in the top surface of the Stock. For any uses where an observation of the glass, *sidewise*, may be found convenient, an additional leveling glass is set in the side, at the opposite end from the Plumb. Both glasses are protected by Brass Discs, can be seen from either side, and are inserted in the Level with the least possible removal of wood from the Stock.

No.

Per Doz.

25. Patent Adjustable Plumb and Level, Mahogany, Arch Top Plate, Improved Duplex Side Views, Polished, Tip'd, Ass'd, 24 to 30 in., **\$24 00**
30. Patent Adjustable Plumb and Level, Cherry, Arch Top Plate, Improved Duplex Side Views, Polished, Tip'd, Ass'd, 24 to 30 in., **18 00**
50. Patent Adjustable Plumb and Level, Cherry, Triple Stock, Arch Top Plate, Improved Duplex Side Views, Polished and Tipped, Assorted, 24 to 30 inches. **24 00**

STANLEY'S PATENT ADJUSTABLE PLUMB AND LEVEL.




The Spirit-glass (or bubble tube), in both the Level and Plumb, is set in a metallic case attached rigidly to the Brass Top-plate above; and should it be necessary from any cause to adjust either glass, it can be done by means of the screw designated "Adjusting Screw."


Plumbs and Levels Nos. 01, 02, 03, etc., in this Price List, correspond exactly with the Nos. 1, 2, 3, etc., except that the former are non-adjustable and the latter adjustable.

The improved slots now made in all our Top-plates afford a ready means for detecting the movement of the bubble, to or from the center of the Glass.


No. 30.





No. 9.



No. 3.



No. 0.



No. 35.

PLUMBS AND LEVELS.

No.		Per Doz.
102.	Levels, Arch Top Plate, Two Side Views, Polished, Assorted.....10 to 16 in.,	\$9 00
103.	Levels, Arch Top Plate, Two Side Views, Polished, Assorted.....18 to 24 "	12 00
104.	Plumb and Level, Arch Top Plate, Two Side Views, Polished, Assorted12 to 18 "	14 00
1½.	Mahogany Plumb and Level, Arch Top Plate, Two Side Views, Polished, Assorted, 18 to 24 "	16 50
1¾.	Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Polished and Tipped, Assorted.....12 to 18 "	27 00
00.	Plumb and Level, Arch Top Plate, Two Side Views, Polished, Assorted18 to 24 "	16 00
0.	Plumb and Level, Arch Top Plate, Two Side Views, Polished, Assorted.....24 to 30 "	18 00
	[See Engraving, p. 17.]	
01.	Mahogany Plumb and Level, Arch Top Plate, Two Side Views, Polished, Assorted, 24 to 30 "	22 50
02.	Plumb and Level, Arch Top Plate, Two Brass Lip'd Side Views, Polished, Ass'd, 24 to 30 "	24 00
03.	Plumb and Level, Arch Top Plate, Two Side Views, Polished and Tipped, Assorted ..24 to 30 "	28 00
04.	Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Polished and Tipped, Assorted24 to 30 "	35 00
06.	Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Polished, Assorted.....24 to 30 "	30 00
7.	Masons' Plumb and Level, Arch Top Plate, Two Plumbs, Two Side Views, Polished and Tipped36	" 36 00
7½.	Masons' Plumb and Level, Arch Top Plate, Two Plumbs, Two Side Views, Polished. 36	" 30 00
8.	Masons' Plumb and Level, Arch Top Plate, Two Plumbs, Two Side Views, Polished. 42	" 36 00

PATENT IMPROVED ADJUSTABLE PLUMBS AND LEVELS.

No.	Per Doz.
1. Patent Adjustable Mahogany Plumb and Level, Arch Top Plate, Two Side Views, Polished, Assorted.....	24 to 30 in., \$27 00
2. Patent Adjustable Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Polished, Assorted.....	24 to 30 " 27 00
3. Patent Adjustable Plumb and Level, Arch Top Plate, Two Side Views, Polished and Tipped, Assorted.....	24 to 30 " 30 00
[See Engraving, p. 17.]	
NOTE.—No. 3 Plumb and Level, we also keep in stock, assorted 18 to 24 inches, one-half dozen in a box. The regular assortment 24 to 30 inches will always be sent, unless otherwise ordered.	
4. Patent Adjustable Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Polished and Tipped, Assorted.....	24 to 30 " 39 00
5. Patent Adjustable Plumb and Level, Triple Stock, Arch Top Plate, Two Ornamental Brass Lipped Side Views, Polished and Tipped, Assorted.....	24 to 30 " 48 00
6. Patent Adjustable Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Polished, Assorted.....	24 to 30 " 33 00
9. Patent Adjustable Mahogany Plumb and Level, Arch Top Plate, Two Ornamental Brass Lipped Side Views, Polished and Tipped, Assorted.....	24 to 30 " 48 00
[See Engraving, p. 17.]	
10. Patent Adjustable Mahogany Plumb and Level, Triple Stock, Two Ornamental Brass Lipped Side Views, Arch Top Plate, Polished and Tipped, Assorted.....	24 to 30 " 60 00
11. Patent Adjustable Rosewood Plumb and Level, Arch Top Plate, Two Ornamental Brass Lipped Side Views, Polished and Tipped, Assorted.....	24 to 30 " 90 00
32. Patent Adjustable Mahogany Graduated Plumb and Level (easily adjusted to work at any angle or elevation required).....	28 " 100 00
35. Patent Adjustable Masons' Plumb and Level, adapted also for Plumb Bob and Line.....	42 " 40 00



[See Engraving, p. 17.]

NICHOLSON'S PATENT METALLIC PLUMBS AND LEVELS.



No.		Per Doz.
13.	14 inches long.....	\$18 00
14.	20 inches long.....	21 00
15.	24 inches long.....	27 00

STANLEY'S PATENT BIT AND SQUARE LEVEL.





The frame of this Level has three pairs of V slots on its back edges. The shank to a Bit will lie in these slots, either parallel with the bubble-glass, at an exact angle to it, or at an angle of 45 degrees.

A Thumb-Screw secures the Level to the Bit, in either position; and boring can be done with perfect accuracy as to perpendicular, horizontal or angle of 45 degrees, by observing the bubble-glass while turning the bit.

The frame can also be attached to a Carpenter's Square. Two shoulders rest on the top of the horizontal leg to the square, thus making it an accurate Spirit-level. The upright leg of the square will indicate an exact Plumb-line.

No. 44. Bit and Square Level, Brass Frame, in a box, each . . \$0 30


STANLEY'S IMPROVED LEVEL SIGHTS.



By the use of these ingenious devices, which can be attached to any Level, the owner has a convenient and accurate means for leveling, from one given point to another at a long distance away. When not in use the Level Sights are easily detached, and can be packed away in a small space for future use.


No. 1. Improved Level Sights, per pair, in a box \$0 75

POCKET LEVELS.



No. 41.

No.		Per Doz.
40.	Iron, Iron Top Plate, Japanned, 1 dozen in a box.....	\$2 50
41.	Iron, Brass Top Plate, 1 dozen in a box	3 00
42.	Brass, Brass Top Plate, 1 dozen in a box	8 00



46.	Iron, Brass Top Plate, a superior article	3 50
-----	---	------

MACHINISTS' IRON LEVELS.


38.	Iron Level, Brass Top Plate	4 inch, 3 50
39.	Iron Level, Brass Top Plate	6 " 4 50

LEVEL GLASSES.



		Per Gross.
Level Glasses, packed 1 dozen in a box	1 $\frac{1}{2}$ inch,	\$9 50
Level Glasses, packed 1 dozen in a box	2 "	10 00
Level Glasses, packed 1 dozen in a box	2 $\frac{1}{2}$ "	10 50
Level Glasses, packed 1 dozen in a box	3 "	11 50
Level Glasses, packed 1 dozen in a box	3 $\frac{1}{2}$ "	13 00
Level Glasses, packed 1 dozen in a box	4 "	14 50
Level Glasses, packed 1 dozen in a box	4 $\frac{1}{2}$ "	16 00
Assorted, 1 $\frac{1}{2}$, 3 and 3 $\frac{1}{2}$ inch, 1 dozen in a box		12 00

PATENT
IMPROVED TRY SQUARES.




No. 12.

Iron Handle, Graduated Steel Blade,
Square Inside and out.

Inches	2	4	6	8	10	12
Per Doz.	\$2 25	2 75	3 50	4 50	5 50	7 00

One-half dozen in a box.

PATENT
ADJUSTABLE TRY SQUARES.



No. 14.

The Blade of this Square can be firmly and accurately secured in its seat, at any point. When the Blade is carried fully to the front of the Handle, it is like an ordinary Try Square in all its uses, and the moving of the Blade admits of making the Try Square equally perfect down to $\frac{1}{4}$ inch Blade, or less. This Tool will be found invaluable in putting on Butts or Locks, and doing short work about windows, doors, etc.

Iron Handle, Graduated Steel Blade.

Inches	4	6
Per Doz.	\$3 75	4 50

One-half dozen in a box.

WINTERBOTTOM'S PATENT COMBINED TRY AND MITRE SQUARE.

This Tool can be used with equal convenience and accuracy as a Try Square or a Mitre Square. By simply changing the position of the handle and bringing the mitred face at the top of the handle against one edge of the work in hand, a perfect mitre, or angle of 45 degrees, can be struck from either edge of the blade.




No. 1.

Iron Frame Handle, with Black Walnut
(Inlaid) Sides, Graduated Steel Blades,
Square inside and out.

Inches	4	6	8
Per Doz.	\$6 00	7 50	9 00

One-half dozen in a box.




No. 2.

Rosewood Handle, Graduated Steel Blades,
Square inside and out.

Inches	4½	6	7½	9	12
Per Doz.	\$4 50	5 00	6 00	7 00	9 00


One-half dozen in a box.

IMPROVED MITRE TRY SQUARE.



No. 15.

Cast Brass Handle, $7\frac{1}{2}$ in. blade, **\$12 00** Per Doz.
 One-half dozen in a box.



No. 16.


IMPROVED
MITRE SQUARES.

Iron Frame Handle, with Black Walnut (Inlaid) Sides.

Inches	8	10	12
Per Doz.	\$7 00	8 00	9 00

One-half dozen in a box.

INLAID TRY SQUARES.




No. 10.

Iron Frame Handle, with Rosewood (Inlaid)
Sides, Steel Blades, Square
inside and out.

Inches	3	4	6	8	9	10	12
Per Doz. . .	\$5 50	6 50	8 50	11 00	12 00	15 00	18 00

One-half dozen in a box.

PATENT COMBINATION
TRY SQUARE AND BEVEL.

No. 24.


Inches	4	6	8	10	12
Per Doz.	\$5 00	6 00	7 50	9 00	10 50

One-half dozen in a box.

TRY SQUARES.

GRADUATED STEEL BLADES.

Handles full size, and Brass Face-plates put on with Screws.



No. 20.

		Per Doz.
Rosewood, 1 dozen in a box	3 inch,	\$3 00
Rosewood, $\frac{1}{2}$ dozen in a box	4 $\frac{1}{2}$ inch,	3 75
Rosewood, $\frac{1}{2}$ dozen in a box	6 inch,	5 00
Rosewood, $\frac{1}{2}$ dozen in a box	7 $\frac{1}{2}$ inch,	5 75
Rosewood, $\frac{1}{2}$ dozen in a box	9 inch,	6 50
Rosewood, $\frac{1}{2}$ dozen in a box	10 inch,	7 25
Rosewood, $\frac{1}{2}$ dozen in a box	12 inch,	8 50
Rosewood, with Rest, $\frac{1}{2}$ dozen in a box	15 inch,	12 50
Rosewood, with Rest, $\frac{1}{2}$ dozen in a box	18 inch,	15 50

PLUMB AND LEVEL TRY SQUARES.

A very convenient tool for Mechanics. A spirit-glass being set in the inner edge of the Try Square Handle, constitutes the Handle a Level; and when the handle is brought to an exact level, the blade of the square will be upright, and become a perfect Plumb.

No. 22.


7 $\frac{1}{2}$ inch, Rosewood, $\frac{1}{2}$ dozen in a box	\$7 50
--	--------

SLIDING T BEVELS.

ROSEWOOD HANDLE, WITH BRASS LEVER (FLUSH).

6 inch....per doz.,	\$5 50
8 inch....per doz.,	6 00
10 inch....per doz.,	6 50
12 inch....per doz.,	7 00
14 inch....per doz.,	7 50


One-half dozen in a box.



No. 25.

The Bevel Blade can be made fast or loose by moving the Lever with the thumb of the hand which grasps the Handle, thus leaving the other hand of the workman free.

Bevels with Thumb Screws will be furnished if so ordered.



No. 18.

PATENT EUREKA FLUSH T BEVELS.


IRON HANDLE,
STEEL BLADE, WITH PAR-
ALLEL EDGES.

The Blade is easily secured at any angle by turning the Thumb Screw at the lower end of the Handle.


Inches,	6	8	10
Per doz.,	\$6 00	6 50	7 50

One-half dozen in a box.

GAUGES.


 All Marking Gauges, excepting Nos. 0, 61 and 61½, have an Adjusting Point of finely tempered steel, which may be readily removed and replaced if it needs sharpening. The Point can be thrust down as it wears away ; or if by any means it be broken off, it can be easily repaired.

All Gauges with Brass Thumb Screws have also a brass shoe inserted in the head, under the end of the Thumb Screw. This shoe protects the gauge-bar from being dented by the action of the screw ; and the broad surface of the shoe being in contact with the bar, the head is held more firmly in position than by any other method, and with less wear of the screw threads.




No. 61.

No.	Per Doz.
0. Marking Gauge, Beechwood, Boxwood Thumb Screw, Marked, Steel Point, 1 dozen in a box	\$0 75
61. Marking Gauge, Beechwood, Boxwood Thumb Screw, Oval Bar, Marked, Steel Point, 1 dozen in a box ...	1 00
61½. Marking Gauge, Beechwood, Boxwood Thumb Screw, Oval Head and Bar, Marked, Steel Point, 1 dozen in a box	1 25




No. 65.

62. Patent Marking Gauge, Beechwood, Polished, Boxwood Thumb Screw, Oval Bar, Marked, Adjusting Steel Point, 1 dozen in a box	2 00
64. Patent Marking Gauge, Polished, Plated Head, Boxwood Thumb Screw, Oval Bar, Marked, Adjusting Steel Point, 1 dozen in a box	2 75
64½. Patent Marking Gauge, Polished, Oval Plated Head, Brass Thumb Screw and Shoe, Oval Bar, Marked, Adjusting Steel Point, ½ dozen in a box	4 50
65. Patent Marking Gauge, Boxwood, Polished, Plated Head, Brass Thumb Screw and Shoe, Oval Bar, Marked, Adjusting Steel Point, ½ dozen in a box ...	5 00
66. Patent Marking Gauge, Rosewood, Oval Plated Head and Bar, Brass Thumb Screw and Shoe, Oval Bar, Marked, Adjusting Steel Point, ½ dozen in a box ...	6 00




No. 71.

No.		Per Doz.
71.	Patent Double Gauge (Marking and Mortise Gauge combined), Beechwood, Polished, Plated Head and Bars, Brass Thumb Screws and Shoes, Oval Bars, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	\$8 00
72.	Patent Double Gauge (Marking and Mortise Gauge combined), Beechwood, Polished, Boxwood Thumb Screws, Oval Bars, Marked, Steel Points, $\frac{1}{2}$ doz. in box,	4 00
74.	Patent Double Gauge (Marking and Mortise Gauge combined), Boxwood, Polished, Full Plated Head and Bars, Brass Thumb Screws and Shoes, Oval Bars, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	14 00
70.	Cutting Gauge, Mahogany, Polished, Plated Head, Boxwood Thumb Screw, Oval Bar, Marked, Steel Cutter, 1 dozen in a box	4 00



No. 73.

73.	Patent Mortise Gauge, Boxwood, Polished, Plated Head, Brass Slide, Brass Thumb Screw and Shoe, Oval Bar, Marked, Steel Points, $\frac{1}{2}$ dozen in a box...	8 00
76.	Patent Mortise Gauge, Boxwood, Polished, Plated Head, Screw Slide, Brass Thumb Screw and Shoe, Oval Bar, Marked, Steel Points, $\frac{1}{2}$ dozen in a box...	11 00
80.	Patent Mortise Gauge, Boxwood, Full Plated Head, Plated Bar, Screw Slide, Brass Thumb Screw and Shoe, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	18 00
67.	Mortise Gauge, Adjustable Wood Slide, Boxwood Thumb Screw, Oval Bar, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	4 00
68.	Mortise Gauge, Plated Head, Adjustable Wood Slide, Brass Thumb Screw and Shoe, Oval Bar, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	6 00




No 77.

No.		Per Doz.
77.	Patent Mortise and Marking Gauge, Rosewood, Plated Head, Improved Screw Slide, Brass Thumb Screw and Shoe, Oval Bar, Marked, Steel Points, $\frac{1}{2}$ dozen in a box,	\$10 00
78.	Patent Mortise Gauge, Rosewood, Plated Head, Screw Slide, Brass Thumb Screw and Shoe, Oval Bar, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	11 00
79.	Patent Mortise Gauge, Rosewood, Plated Head and Bar, Screw Slide, Brass Thumb Screw and Shoe, Marked, Steel Points, $\frac{1}{2}$ dozen in a box	13 00
83.	Handled Slitting Gauge, 17-inch Bar, Marked, $\frac{1}{2}$ dozen in a box	9 00
84.	Handled Slitting Gauge, with Roller, 17-inch Bar, Marked, $\frac{1}{2}$ dozen in a box	10 00
85.	Panel Gauge, Beechwood, Boxwood Thumb Screw, Oval Bar, Steel Points, 1 dozen in a box	3 20
85 $\frac{1}{2}$.	Panel Gauge, Rosewood, Plated Head and Bar, Brass Thumb Screw and Shoe, Steel Point, $\frac{1}{2}$ dozen in a box,	18 00

IRON GAUGES.


The engraving below (No. 60), shows an Iron Marking and Cutting Gauge; No. 60 $\frac{1}{2}$ is the same in form, but has a Reversible Brass Slide slotted into the face of the bar. When a Mortise Gauge is required, the Brass Slide may be turned over in the bar. The point in the Brass Slide may be moved to any position, and the slide will be secured by a single turn of the screw which fastens the head of the Gauge.



No. 60.

No.		Per Doz.
60.	Patent Iron Marking and Cutting Gauge, Oval bar, Marked, Adjusting Steel Point, equally well adapted for use on Metals or Wood, $\frac{1}{2}$ dozen in a box	\$5 00
60 $\frac{1}{2}$.	Patent Iron Reversible Gauge, Mortise, Marking and Cutting combined, Brass Slide, Oval Bar, Marked, Adjusting Steel Points, equally well adapted for use on Metals or Wood, $\frac{1}{2}$ dozen in a box	8 00

STANLEY'S PATENT IMPROVED GAUGES.



The Brass Face, with two ribs or protections, attached to one side of the Gauge-head (see Engraving), will enable the owner to run a gauge-line with perfect steadiness and accuracy around curves of any degree, and either concave or convex. The Gauge-head is reversible, and the flat side can be used for all ordinary work.

Any style of Gauge found in this Catalogue, pages 28, 29 and 30—with this valuable improvement included—may be ordered as Nos. 161, 162, etc., instead of Nos. 61, 62, etc.

The following numbers are carried in stock, and have the most liberal sale :

MARKING GAUGES.		Per Doz.
No.		
161.	Beechwood, Boxwood Thumb Screw, Oval Bar, Steel Point	\$2 00
162.	Beechwood, Boxwood Thumb Screw, Adjusting Steel Point	3 00
164.	Beechwood, Boxwood Thumb Screw, Plated Head, Adjusting Steel Point	3 75
165.	Boxwood, Brass Thumb Screw and Shoe, Plated Head, Adjusting Steel Point	6 00
166.	Rosewood, Brass Thumb Screw and Shoe, Oval Plated Head, Adjusting Steel Point	7 00

MORTISE GAUGES.

171.	Double Gauge (Marking and Mortise), Beechwood, Plated Heads and Bars, Brass Thumb Screws and Shoes	9 00
172.	Double Gauge (Marking and Mortise), Beechwood, Boxwood Thumb Screws	5 00
173.	Boxwood, Brass Slide, Plated Head, Brass Thumb Screw and Shoe	9 00
177.	Rosewood, Screw Slide, Plated Head, Brass Thumb Screw and Shoe	11 00

The price of any Improved Gauge, not mentioned in above List, may be ascertained by adding \$1.00 per dozen to the price given on the corresponding Gauge—without the improvement—in our regular List of Gauges.

BAILEY'S PATENT ADJUSTABLE PLANES.


Manufactured only by the Stanley Rule & Level Co., under the original Patents.

Over 1,500,000 Already Sold.


These Planes meet with universal approbation from the best Mechanics, as their extensive sale abundantly testifies. For beauty of style and finish they are unequalled, and the superior methods for adjusting them readily in all their parts render them economical to the owner.

Each Plane is thoroughly tested at our Factory and put in perfect working order before being sent into the market. A printed description of the method of adjustment accompanies each plane. The Plane Irons are by us fully warranted.


IRON PLANES.



No.		Each.
1.	Smooth Plane, 5½ inches in Length, 1¼ inch Cutter.....	\$2 25
2.	Smooth Plane, 7 inches in Length, 1½ inch Cutter.....	2 75
3.	Smooth Plane, 8 inches in Length, 1¾ inch Cutter.....	3 00
4.	Smooth Plane, 9 inches in Length, 2 inch Cutter.....	3 25
4½.	Smooth Plane, 10 inches in Length, 2½ inch Cutter.....	3 75



5.	Jack Plane, 14 inches in Length, 2 inch Cutter.....	3 75
6.	Fore Plane, 18 inches in Length, 2½ inch Cutter.....	4 75
7.	Jointer Plane, 22 inches in Length, 2¾ inch Cutter.....	5 50
8.	Jointer Plane, 24 inches in Length, 2¾ inch Cutter.....	6 50
9.	Cabinet Makers' Block Plane, 10 in. Length, 2 in. Cutter,	6 00



10½.	Carriage Makers' Rabbet Plane, 9 in. Length, 2½ in. Cutter,	3 75
10.	Carriage Makers' Rabbet Plane, 13 in. Length, 2½ in. Cutter,	4 50
11.	Belt Makers' Plane, 2¾ inch Cutter.....	3 00

BAILEY'S PATENT ADJUSTABLE PLANES.

TORN CATALOGUES.—Every article in this Book is described either by figure, number, or name. We beg our customers not to cut or tear out parts of pages as this destroys it for reference.

STANLEY'S PATENT LATERAL ADJUSTMENT.



The above sectional view of a Plane illustrates the new method of adjusting a Plane Iron, *sidewise*, to set the cutting edge exactly square with the face of the plane.

At the lower end of the Lever, a revolving (anti-friction) Disc fits into the slot in the Plane Iron; thus furnishing an easy sidewise adjustment, entirely independent of the forward and backward adjustment of the Cutter.

This Lever for sidewise adjustment, as shown above, is attached to all BAILEY IRON PLANES, AND BAILEY WOOD PLANES, on pages 32, 34 and 35 of this Catalogue (except Nos. 1, 9 and 11). It will also be found attached to Block Planes, Nos. 16, 17, 18 and 19, on page 36.

BAILEY'S ADJUSTABLE CABINET MAKERS' PLANE.



No. 9. Cabinet Makers' Plane, 10 in. Length, 2 in. Cutter . . . \$6 00


This Plane is used by Piano Forte Makers, Cabinet Makers and kindred trades, where an extra-fine Tool is required in finishing hard woods, etc.

A Metallic Handle, with Slot and Set-screw, is furnished with each Plane. This Handle can be attached to the top of the Plane, on either edge. The Plane, turned on its side, will then work perfectly on a shooting-board, for planing mitres, etc.

BAILEY'S PATENT ADJUSTABLE PLANES.

TORN CATALOGUES.—Every article in this Book is described either by figure, number, or name. We beg our customers not to cut or tear out parts of pages as this destroys it for reference.


BAILEY'S ADJUSTABLE BELT PLANE.



No. 11. Belt Makers' Plane, 2 $\frac{3}{8}$ inch Cutter.....\$3 00


This Tool is used by Belt Makers, for chamfering down the laps of a Belt, before fastening them together. It is equally well adapted to use in repairing Belts in all manufacturing establishments.

BAILEY'S ADJUSTABLE VENEER SCRAPER.



No. 12. Adjustable Veneer Scraper, 3 inch Cutter\$3 50
CAST STEEL, HAND VENEER SCRAPERS, 3 x 5 inch, per dozen .. 3 00


BAILEY'S ADJUSTABLE CIRCULAR PLANE.




No. 13. Circular Plane, 1 $\frac{1}{2}$ inch Cutter\$4 00

This Plane has a Flexible Steel Face, and by means of the thumb screws at each end of the Stock, can be easily adapted to plane circular work—either concave or convex.


BAILEY'S ADJUSTABLE WOOD PLANES.



No.		Each.
21.	Smooth Plane, 7 inches in Length, $1\frac{3}{4}$ inch Cutter	\$2 00
22.	Smooth Plane, 8 inches in Length, $1\frac{1}{2}$ inch Cutter	2 00
23.	Smooth Plane, 9 inches in Length, $1\frac{1}{2}$ inch Cutter	2 00
24.	Smooth Plane, 8 inches in Length, 2 inch Cutter	2 00
25.	Block Plane, $9\frac{1}{2}$ inches in Length, $1\frac{3}{4}$ inch Cutter	2 00



35.	Handle Smooth, 9 inches in Length, 2 inch Cutter	2 50
36.	Handle Smooth, 10 inches in Length, $2\frac{3}{8}$ inch Cutter	2 75
37.	Jenny Smooth, 13 inches in Length, $2\frac{3}{8}$ inch Cutter	3 00



26.	Jack Plane, 15 inches in Length, 2 inch Cutter	2 25
27.	Jack Plane, 15 inches in Length, $2\frac{1}{2}$ inch Cutter	2 50
28.	Fore Plane, 18 inches in Length, $2\frac{3}{8}$ inch Cutter	2 75
29.	Fore Plane, 20 inches in Length, $2\frac{3}{8}$ inch Cutter	2 75
30.	Jointer Plane, 22 inches in Length, $2\frac{3}{8}$ inch Cutter	3 00
31.	Jointer Plane, 24 inches in Length, $2\frac{3}{8}$ inch Cutter	3 00
32.	Jointer Plane, 26 inches in Length, $2\frac{3}{8}$ inch Cutter	3 25
33.	Jointer Plane, 28 inches in Length, $2\frac{3}{8}$ inch Cutter	3 25
34.	Jointer Plane, 30 inches in Length, $2\frac{3}{8}$ inch Cutter	3 50

Extra Plane-woods of every style can be supplied cheaply.

BAILEY'S PLANE IRONS.

Packed, one-half dozen in a box.


	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{2}$	$2\frac{3}{4}$	$2\frac{3}{8}$ Inch.
SINGLE IRONS,	20	25	28	30	33	37	40 cts. Each.
DOUBLE IRONS,	40	45	50	55	60	65	70 cts. Each.

Orders for Plane Irons should designate the No. of the Planes for which they are wanted.


BAILEY'S ADJUSTABLE BLOCK PLANES.



- | No. | Each. |
|---|--------|
| 9 $\frac{1}{2}$. Excelsior Block Plane, 6 inches Length, 1 $\frac{1}{4}$ inch Cutter.. | \$1 50 |
| 15. Excelsior Block Plane, 7 inches Length, 1 $\frac{1}{4}$ inch Cutter.. | 1 60 |




- | | |
|--|------|
| 9 $\frac{1}{2}$. Excelsior Block Plane, Rosewood Handle, 6 inches in Length, 1 $\frac{1}{4}$ inch Cutter | 1 75 |
| 15 $\frac{1}{2}$. Excelsior Block Plane, Rosewood Handle, 7 inches in Length, 1 $\frac{1}{4}$ inch Cutter | 1 85 |
- The handles to Nos. 9 $\frac{1}{2}$ and 15 $\frac{1}{2}$ are secured to the stock by the use of an iron nut, and can be attached to or liberated from the plane at convenience.
- CUTTERS for above Block Planes, warranted Cast Steel, per doz. 2 40



- | | |
|--|------|
| 16. Excelsior Block Plane, 6 inches Length, 1 $\frac{1}{4}$ in. Cutter, with Stanley's Lateral Adjustment, Nickel Plated Trimmings, .. | 1 65 |
| 17. Excelsior Block Plane, 7 inches Length, 1 $\frac{1}{4}$ in. Cutter, with Stanley's Lateral Adjustment, Nickel Plated Trimmings, .. | 1 75 |

IMPROVED BLOCK PLANES.




- The knuckle-joint in the cap constitutes it a lever also: and the single movement of putting the cap in position clamps the cutter firmly in its seat.
- | | |
|---|------|
| 18. Knuckle-Joint Block Plane, 6 inches Length, 1 $\frac{1}{4}$ in. Cutter, Stanley's Lateral Adjustment, Nickel Plated Trimmings, .. | 1 75 |
| 19. Knuckle-Joint Block Plane, 7 inches Length, 1 $\frac{1}{4}$ in. Cutter, Stanley's Lateral Adjustment, Nickel Plated Trimmings, .. | 1 85 |
- CUTTERS for above Block Planes, warranted Cast Steel, per doz. 2 40

STANLEY ADJUSTABLE PLANES.

PATENTED.


STEEL PLANES.



Planes Nos. 104 and 105 have a Wrought Steel Stock, and are adjusted by the use of a Lever. These Planes are commended for their lightness and the ease with which they can be worked.

No.		Each.
104.	Smooth Plane, 9 inches in Length, $2\frac{1}{8}$ inch Cutter.....	\$2 75
105.	Jack Plane, 14 inches in Length, $2\frac{1}{2}$ inch Cutter.....	3 50

STANLEY ADJUSTABLE SCRAPER PLANE.




This Tool, by its peculiar construction, can be used for scraping and finishing Veneers, Cabinet Work or Hard Woods in any form.

By use of an Extra Cutter, specially prepared, a superior Tothing Plane is made; and in addition to the ordinary uses of such a Plane, this one will do excellent work in scraping off old paint and glue.

No.		Each.
112.	Adjustable Scraper Plane, 9 in. in Length, 3 in. Cutter..	\$3 00
	CUTTERS, for Veneer Scraping.....	25
	CUTTERS, for Tothing, Nos. 22, 28, 32 (22, 28 or 32 teeth per in.)	35

STANLEY ADJUSTABLE CIRCULAR PLANE.




No.		Each.
113.	Adjustable Circular Plane, $1\frac{3}{4}$ inch Cutter.....	\$4 00


This Plane has a Flexible Steel Face, which can be easily shaped to any required arc, either concave or convex, by turning the Knob on the front of the Plane.

STANLEY ADJUSTABLE WOOD PLANES.


These Planes are adjusted by a Lever, and are especially adapted for working on soft woods.



No. 122. Smooth Plane, 8 inches in Length, $1\frac{3}{4}$ inch Cutter \$1 50 Each.



135. Handle Smooth, 10 inches in Length, $2\frac{1}{4}$ inch Cutter . . . 2 00



127. Jack Plane, 15 inches in Length, $2\frac{1}{2}$ inch Cutter 2 00

129. Fore Plane, 20 inches in Length, $2\frac{3}{4}$ inch Cutter 2 25

132. Jointer Plane, 26 inches in Length, $2\frac{3}{4}$ inch Cutter 2 50

☞ Extra Plane-woods of every style can be supplied cheaply.

STANLEY PLANE IRONS.

Packed, one-half dozen in a box.

	$1\frac{3}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	$2\frac{5}{8}$ Inch.
SINGLE IRONS	28	33	37	40 cts. each.
DOUBLE IRONS	50	60	65	70 cts. each.

☞ Orders for Plane Irons should designate the Number of the Planes for which they are wanted.



STANLEY IRON BLOCK PLANES.

No.




Each.

101. Block Plane, $3\frac{1}{2}$ inches in Length, 1 inch Cutter \$ 20
 CUTTERS for above Block Plane, warranted Cast Steel, per doz. 75



102. Block Plane, $5\frac{1}{2}$ inches in Length, $1\frac{1}{4}$ inch Cutter 40
 103. Block Plane, Adjustable, $5\frac{1}{2}$ in. in Length, $1\frac{1}{4}$ in. Cutter. 60
 CUTTERS for above Block Planes, warranted Cast Steel, per doz. 1 50



110. Block Plane, $7\frac{1}{2}$ inches in Length, $1\frac{3}{4}$ inch Cutter 60



120. Block Plane, Adjustable, $7\frac{1}{2}$ in. in Length, $1\frac{3}{4}$ in. Cutter, 85




130. Block Plane, (Double-End), 8 in. in Length, $1\frac{3}{4}$ in. Cutter, 80

This Plane has two slots, and two cutter seats. It can be used as a Block Plane, or, by reversing the position of the cutter and the clamping wedge (see dotted lines in the engraving), it can be used to plane close up into corners, or places difficult to reach with any other plane.


- CUTTERS for above Block Planes, warranted Cast Steel, per doz. 2 00

BULL-NOSE RABBET PLANE.



75. Iron Stock, 4 inches in Length, 1 inch Cutter 50

PATENT ADJUSTABLE BEADING, RABBET AND SLITTING PLANE.



This Plane embraces in a compact and practical form : (1) Beading and Center Beading Plane ; (2) Rabbet and Filletster ; (3) Dado ; (4) Plow ; (5) Matching Plane ; and (6) a superior Slitting Plane.

In each of its several forms this Plane will do perfect work, even in the hands of an ordinary mechanic—its simplicity of construction and adaptation of parts (as described in the Directions which accompany each Tool) being easily understood.

Each Plane is accompanied by seven Beading Tools ($\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{7}{16}$ and $\frac{1}{2}$ inch), nine Plow and Dado Bits ($\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{7}{16}$, $\frac{1}{2}$, $\frac{5}{8}$ and $\frac{3}{4}$ inch), a Slitting Tool and a Tonguing Tool.

Price, including Beading Tools, Bits, Slitting Tool, etc.


No. 45. Iron Stock and Fence.....\$8 00

[Samples of Tools embraced in the set of Eighteen Tools sold with Plane No. 45.]

A Southern Carpenter

writes concerning this Tool :

"A first-class Mechanic's pet. Worth its weight in silver."



A Western Carpenter

writes concerning this Tool :

"I have finished one house, on which it paid for itself."

BEADING TOOLS.

Additional Tools for REEDING, consisting of two, three, four or five Beads each, will be furnished to order, at prices given below. They can only be used with Plane No. 45.

[In ordering, always state size and number of Beads wanted.]


Sizes.	2	3	4	5 Beads.
$\frac{1}{8}$ inch,	20	30	40	50 cents each.
$\frac{3}{16}$ inch,	20	30	40	50 cents each.
$\frac{1}{4}$ inch,	20	30	40	50 cents each.


PRICES OF HOLLOWS AND ROUNDS.

[To be used only with Plane No. 45.]

These additional parts, for working Hollows and Rounds, can be attached to any Plane No. 45; but they are not included in the regular assortment of parts sent out with the Plane.

The full width of each Cutter is indicated in the following list; and, also the full diameter to the circle of which each Cutter will work only an arc. The Numbers correspond with the regular lists of common Hollows and Rounds. Order always by Numbers, and thus avoid confusion.

 The extra cost of these Hollows and Rounds, including Cast Steel Bits, is given below.



Nos.	6	8	10	12	
Cutter	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$	1	Inch Wide.
Works	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	Inch Circle.
Price.....	\$1 40 75	1 40 75	1 40 75	1 40 75	Each.

NOSING TOOL, FOR PLANE No. 45.


[Attach same as Hollows and Rounds.]

No. 5. Nosing Tool, $1\frac{1}{4}$ inch Cutter\$1 00

EXPLANATORY.

[See pages 40, 42 and 43.]

This is a representation of the Slitting-Tool on Planes Nos. 41, 42, 43, 44, 45, 46, 141 and 143. The improvement is an important one, as carpenters who have not the convenient use of circular saws can, with the Slitting-Tool, rapidly slit up their stuff for fitting up doors and windows, or kindred work.




The Slitting-Tool is inserted into a slot on the right side of the main stock of the Plane, and just in front of the handle; a steel depth-gauge is placed over it on the same spindle, and both are fastened down by a brass thumb-screw.

The position of the Slitting-Tool being right under the hand of the workman, his full strength can be exerted while the construction of the Plane renders it stiff enough to secure perfect accuracy in working.

NOTE.—The several sets of Bits, etc., which accompany the Planes (Nos. 41, 42, 43, 44, 45, 46, 141 and 143) are put up in wooden boxes, which protect the cutting edges and keep the full assortment of tools always convenient for selection by the owner.

TRAUT'S PATENT ADJUSTABLE DADO, FILLETSTER, PLOW, ETC.



The Tool here represented consists of two sections: a main stock, with two bars, or arms; and a sliding section, having its bottom, or face, level with that of the main stock.

It can be used as a Dado of any required width, by inserting the bit into the main stock and bringing the sliding section snugly up to the edge of the bit. The two spurs, one on each section of the Plane, will thus be brought exactly in front of the edges of the bit. The gauge on the sliding section will regulate the depth to which the tool will cut.



By attaching the Guard-plate, shown above, to the sliding section, the Tool may be readily converted into a Plow, a Filletster or a Matching Plane—as explained in the printed instructions which go with every tool.



The Tool is accompanied by eight Plow and Dado Bits ($\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$ and $1\frac{1}{2}$ inch), a Filletster Cutter, a Slitting-tool and a Tonguing-tool. All except the Slitting Blade are secured in the main stock on a skew.

Price, including Plow-bits, Slitting and Tonguing Tools.

No. 46. Iron Stock and Fence, each.....\$7 00


ADJUSTABLE DADO.

This Tool has the same stock and arms as shown above (No. 46)—but it can be used as a Dado only. Insert the bit into the main stock, and bring the sliding section snugly up to the edge of the bit. The two spurs, one on each section of the plane, will thus be brought exactly in front of the edges of the bit. The gauge on the sliding section will regulate the depth to which the tool will cut. The tools are secured in the stock on a skew.

Price, including Bits ($\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$ and $1\frac{1}{2}$ inch), and Slitting-tool.

No. 47. Iron Stock and Fence, each.....\$4 00

MILLER'S PATENT COMBINED PLOW, FILLETSTER AND MATCHING MACHINE.



This Tool embraces, in a most ingenious and successful combination, the common Carpenter's Plow, an adjustable Filletster and a perfect Matching Plane. The entire assortment can be kept in a smaller space, or made more portable, than an ordinary Carpenter's Plow.

With each Tool eight forged Plow Bits ($\frac{3}{8}$, 3-16, $\frac{1}{4}$, 5-16, $\frac{3}{8}$, 7-16, $\frac{1}{2}$ and $\frac{5}{8}$ inch), a Filletster Cutter and a Slitting Blade are furnished; also a Tonguing Tool ($\frac{3}{4}$ inch), and by use of the latter, with the $\frac{1}{4}$ inch Plow Bit for grooving, a perfect Matching Plane is made.

No. **Combined Plow, Filletster and Matching Plane.** Each.

41. Iron Stock and Fence \$9 00

42. Gun Metal Stock and Fence 12 00


Combined Plow and Matching Plane—without Filletster.

43. Iron Stock and Fence 7 00

44. Gun Metal Stock and Fence 10 00

PATENT BULL-NOSE

PLOW, FILLETSTER AND MATCHING PLANE.



Two interchangeable front parts go with this Tool. The form shown above is that of a Bull-nose Plow; and the Cutter will easily work up to, and into a $\frac{1}{2}$ inch hole, or any larger size—as in Sash-fitting, Stair-work, etc. With the other front on, it takes the ordinary form of a Plow, and is adapted to all regular uses.

With each tool eight Plow Bits ($\frac{3}{8}$, 3-16, $\frac{1}{4}$, 5-16, $\frac{3}{8}$, 7-16, $\frac{1}{2}$ and $\frac{5}{8}$ inch), a Filletster Cutter and a Slitting Blade are furnished; also a Tonguing Tool ($\frac{3}{4}$ inch).

No. **Bull-Nose Plow, Filletster and Matching Plane.** Each.


141. Iron Stock and Fence \$7 00

Bull-Nose Plow and Matching Plane—without Filletster.

143. Iron Stock and Fence 5 00

PATENT TONGUING AND GROOVING PLANE.

The Plane has two separate cutters, a suitable distance apart. When the guide, or fence, is set as shown below, both cutters work and a tongue can be made.




This fence is hung on a pivot, and can be swung around, end for end. This movement covers one of the cutters, and also furnishes a guide for grooving an exact match for the tongue.

Prices, including Tonguing and Grooving Tools.

No.	Each.
48. Iron Stock and Fence, for $\frac{3}{4}$ to $1\frac{1}{4}$ inch Boards	\$2 50
49. Iron Stock and Fence, for $\frac{3}{8}$ to $\frac{3}{4}$ inch Boards	2 50


PATENT ADJUSTABLE BEADING PLANE.



This Tool, for ordinary beading or for center beading, cannot be surpassed. By adjustment of the fence, center beading can be done up to five inches from the edge of a board. Except for working across the grain, the spurs need not be used.

No.	Each.
50. Iron Stock and Fence Price, including Bits ($\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{7}{8}$ and $\frac{1}{2}$ inch).	\$4 00


PATENT IMPROVED RABBET PLANE.



This Plane will lie perfectly flat on either side, and can be used with right or left hand equally well, while planing into corners or up against perpendicular surfaces.

No.		Each.
180.	Iron Stock, 8 in. in length, $1\frac{1}{2}$ in. wide	\$1 00
181.	Iron Stock, 8 in. in length, $1\frac{1}{4}$ in. wide	1 00
182.	Iron Stock, 8 in. in length, 1 in. wide	1 00
190.	Iron Stock, 8 in. in length, $1\frac{1}{2}$ in. wide, with Spur	1 15
191.	Iron Stock, 8 in. in length, $1\frac{1}{4}$ in. wide, with Spur	1 15
192.	Iron Stock, 8 in. in length, 1 in. wide, with Spur	1 15

PATENT DUPLEX RABBET PLANE AND FILLETSTER.



The valuable features of this Plane can be seen by a glance at the illustration given above.


Remove the arm to which the fence is secured, and a Handled Rabbet Plane is had; and with two seats for the cutter, so that the tool can be used as a Bull-Nose Rabbet if required.

The construction of the stock is such that the Plane will lie perfectly flat on either side, and can be used with right or left hand equally well, while planing into corners or up against perpendicular surfaces.

The arm to which the fence is secured can be screwed into either side of the stock, thus making a superior right or left hand Filletster, with adjustable spur and depth gauge.

No.		Each.
78.	Iron Stock and Fence, $8\frac{1}{2}$ in. in length, $1\frac{1}{2}$ in. Cutter	\$1 50

PATENT ADJUSTABLE CHAMFER PLANE.




The front section of this Plane is movable up and down. It can be firmly secured to the rear section at any desired point by means of a thumb-screw. Without the use of any other tool, this Plane will do perfect chamfer or stop-chamfer work of all ordinary widths.

For Beading, Reeding or Moulding a chamfer, an additional section to this Plane is furnished (price \$1.00) with six cutters, sharpened at both ends, including a large variety of ornamental forms.

No. 72. Chamfer Plane, 9 inches in length, $1\frac{1}{2}$ inch Cutter.....\$2 00

No. 72 $\frac{1}{2}$. Chamfer Plane, with Beading and Moulding Attachment 3 00

WOODWORKERS' HANDY ROUTER PLANE.




This Tool should be added to the kit of every skilled Carpenter, Cabinet Maker, Stair Builder, Pattern Maker or Wheelwright. It is perfectly adapted to smooth the bottom of grooves, panels or all depressions below the general surface of any woodwork.

The Bits can also be clamped to the backside of the upright post, and outside of the stock. In this position they will plane into corners, will router out mortises for Sash-frame Pulleys, or will smooth surfaces not easily reached with any other tool.

No. 71. Iron Stock, with Steel Bits ($\frac{1}{4}$ and $\frac{1}{2}$ inch).....\$1 50


"VICTOR" ADJUSTABLE CIRCULAR PLANE.




The working capacity is $12\frac{1}{4}$ inches inside circle. Both ends of the face of the Plane are moved simultaneously, and precisely alike, by means of one screw. The simplicity of its operation is unequalled.

No. 20. Circular Plane, $13\frac{1}{4}$ inch Cutter, Nickel Plated Trimmings.....\$6 00

STANLEY'S PATENT UNIVERSAL HAND BEADER.



For Beading, Reeding or Fluting straight or irregular surfaces, and for all kinds of light Routering. With a square gauge for straight, and an oval gauge for curved work.



Seven superior steel cutters go with each Tool. Both ends are sharpened, thus embracing six ordinary sizes of Beads, four sets of Reeds, two Fluters and a double Router Iron ($\frac{1}{8}$ and $\frac{1}{4}$ inch).


No.

Each.

- | | |
|---|---------------|
| 66. Iron Stock, with seven Steel Cutters | \$1 00 |
| Extra Cutters or blanks for same | 05 |

PATENT FLOOR PLANE.

This Tool will be found useful for planing Floors, Bowling Alleys, Skating Rinks, Decks of Vessels, etc. The construction of the Plane will enable the owner to do more work, and with less outlay of strength, than can be done with any other tool.




The weight of the Plane is about 10 pounds, and the full length of the handle, 45 inches.

No.

Each.

- | | |
|--|---------------|
| 74. Floor Plane, 10 $\frac{1}{2}$ inches in length, 2 $\frac{3}{8}$ inch Cutter | \$4 50 |
|--|---------------|

STANLEY'S RULE TRAMMEL POINTS.




A practical form of Trammel Points, adapted for convenient use on a Carpenters' Rule. They can be attached to Folding Rules of any ordinary width; and on many kinds of work will take the place of regular Trammel Points, Calipers or Dividers.

A complete set consists of two Brass Trammel Heads, with movable Steel Points, and one Head with a Pencil Socket.

No. Per Set.
99. Rule Trammel Points, per set of three, in a box. **\$0 50**


STANLEY'S ADJUSTABLE CHISEL GAUGE.



Attach to a $\frac{1}{4}$ inch Chisel (with beveled edge up) and a shaving of any desired thickness can be raised, for blind-nailing or for inlaying wood strips in ornamental surface work.

No. Per Doz.
96. Chisel Gauge, Steel Stock, $\frac{1}{2}$ dozen in a box. **\$2 40**

IMPROVED MITRE BOX.



This Mitre Box can be used with a Back Saw or a Panel Saw equally well. If a Back Saw is used, both links which connects the rollers, or guides, are left in the upper grooves, and the back of the saw is passed through under the links.

If a Panel Saw is used, the link which connects the rollers on the back spindle is changed to the lower groove; and then the blade of the saw will be stiffly supported by both sets of rollers, and work like a Back Saw.


No. Each.
50. Mitre Box, 20 inches. **\$7 00**
60. Mitre Box, 20 inch, with 20 inch Disston's Back Saw . . . **10 00**

STANLEY'S "ODD-JOBS."

20,000 Already Sold.

This Tool embraces in itself and when in combination with an ordinary Carpenters' Rule:

Try Square.
Mitre Square.
T-Square.
Marking Gauge.
Mortise Gauge.
Depth Gauge.
Mitre Level.
Spirit Level.
and Plumb.
Beam Compass.
Inside Square
for making boxes
and frames.



A Mechanic who has this Tool to use on his rule, can do all ordinary Jobs with only a Saw, a Hammer and a Plane, in addition.

Attach the Tool to a Rule, making a try-square, or a T-square, with long or short tongue; also, a right or left-hand mitre-square. The pointed steel rod is a scratch-awl.

A marking-gauge is made by setting the point, or pencil, at any required distance from the square end of the stock. A mortise-gauge, also, by inserting an additional point, or pencil, in the angle at head of the Rule. A graduated depth-gauge is furnished by extending the Rule down from the square end of the stock.


The steel point at mitred end of the tool forms a center, from which a circle can be swung (as with a beam compass) $1\frac{1}{2}$ to 13 inches in diameter. A circle of 25 inches diameter can be made, if the Rule alone is used, with a pencil in the angle at its head.

No.

Each.

1. Odd Jobs, Nickel Plated, with Level \$0 75

STANLEY'S ADJUSTABLE CLAPBOARD (SIDING) MARKER.



This ingenious Tool can be used with one hand, while the other is employed in holding a clapboard in position.

The marking blade is easily adjusted to any thickness of clapboard, or siding.

The sharp edges of the teeth are just parallel with the legs when placed against the corner board, or window casing.

By moving the tool half an inch, it will mark a full line across the clapboard, exactly over and conformed to the edge of the corner-board.

There is then no difficulty in sawing for a perfectly close joint.

No.		Each.
88.	Metal Stock, with Wood Handle, Steel Blade	\$0 50

One in a box.

STANLEY'S ADJUSTABLE CLAPBOARD (SIDING) GAUGE.

A simple and practical Clapboard Gauge, or Holder, is needed by Carpenters; and is offered to them in this Tool.

Two thin Steel Blades, which form a part of the base of the Tool, will slide under the last clapboard already laid (see broken corner in engraving).


When the bottom of the Gauge is brought firmly up to the lower edge of this clapboard, press the handle over sidewise, and this will force another thin blade down into the next lower clapboard, rendering the Tool immovable.

The clapboard to be laid can be held any width to the weather, by means of the graduated scale on the Tool; and after the Tool is released, the mark left is so slight that painting alone will fill it.

 A full set of three Gauges is recommended, for laying long clapboards, or siding.

No.		Each.
89.	Metal Stock, with Wood Handle, Steel Blades	\$0 50

Three in a box.




STANLEY'S PATENT ROOFING BRACKET.

15,000 Already Sold.

The parts are of spring steel, and firmly riveted together. Push the beveled ends up under two layers of shingles already nailed down; the Bracket will then have two separate bearings on the roof, and is so formed that any increase of pressure from above, increases its stability. Two steel spurs project above the horizontal surface of the Bracket, to secure the staging boards.

One dozen per minute can be placed in position, or removed; and great economy in lumber and nails will be found. There are no loose parts to get lost; and no nail-holes are made in the roof. In constant use these Brackets will last a life-time.



DIRECTIONS.—To set the Bracket: grasp the back standard with the fingers through the center part, and spring the bow open enough for the front spurs to clear the shingle butt; then press the two beveled ends up under the shingles as early laid, until the front shoulder strikes the butt of the upper course. To remove the Bracket: grasp with the fingers under the front of the bow, thus lifting the spurs until the Bracket is released.


No.

Per Doz.

1. Roofing Brackets, 8 inch, $\frac{1}{2}$ dozen in box \$3 00

STANLEY'S BUTT AND RABBIT GAUGE.

For Hanging Doors, Mortising, Marking, etc.



This Gauge has two bars, both of brass, one movable within the other; also three blades or markers. The two steel blades or markers at the extreme end of the inner bar, can be moved to any position by means of the thumb-screw at opposite end of the Gauge.

A Rosewood Head on the outer bar makes the ordinary Marking, or Slitting Gauge. At one end of the outer bar a steel plate or stop is attached; and, in connection with the Rosewood Head set at the proper distance from the plate, a double head for Mortising is made.

When the Head and Plate have been adjusted to the desired width for the mortise, both markers can still be moved by means of the thumb-screw, and the mortise lines set further in from the edge of the work in hand, or brought out nearer to the edge, without disturbing the width of the mortise.

A superior Butt Gauge, for hanging doors, is made by bringing the marker on the upper side of the bar back of, and to any required distance from the outer surface of the steel plate.

Turn the Gauge over, and place this outer surface against the back of the Rabbit in the door-casing. The owner can then gauge correctly for the back leaf of the Butt; and, without changing any of the parts, the inner surface of the steel plate will act as a guide for the other marker in gauging on the edge of the door, for the front leaf of the Butt. The thickness of the plate ($\frac{1}{16}$ th inch), will set off the door sufficiently to clear the jamb, in opening and shutting.


The Rosewood Head should be secured at the end of the bar nearest the thumb-screw, when the Tool is being used as a Butt Gauge. By placing one edge of a Butt between the surface of this Head and the small blade which stands up back of it, the exact thickness of the Butt is ascertained, and can be accurately gauged on both the door-post and the door. The movable Steel Plate affords a perfect guide for gauging in, or near, Rabbits of all kinds.

No.

Per Doz.

92. Improved Butt and Rabbit Gauge, $\frac{1}{2}$ dozen in a box ... \$15 00

IMPROVED TRAMMEL POINTS.




These Tools are used by Millwrights, Machinists, Carpenters, and all Mechanics having occasion to strike arcs, or circles, larger than can be conveniently done with ordinary Compass dividers. They may be used on a straight wooden bar of any length, and when secured in position by the thumbscrews, all circular work can be readily laid out by their use. They are made of Bronze Metal, and have Steel Points, on either of which a pencil socket (which accompanies each pair) can be firmly clamped close up to the main stock. The pencil will thus be secured at a point nearer the work than is possible by any other method.

No.	Per Pair.
1. (Small) Br'ze Metal, Steel Points,	\$1 00
2. (Medium) " "	1 25
3. (Large) " "	1 75

ADJUSTABLE PLUMB BOBS.

These Plumb Bobs are constructed with a reel at the upper end, upon which the line may be kept; and by dropping the bob with a slight jerk, while the ring is held in the hand, any desired length of line may be reeled off. A spring, which has its bearing on the reel, will check and hold the bob firmly at any point on the line. The pressure of the spring may be increased, or decreased, by means of the screw which passes through the reel. A suitable length of line comes already reeled on each Plumb Bob.



No.	Each.
1. (Small) Bronze Metal, with Steel Point	\$1 50
2. (Large) " " "	1 75
5. (Large) Iron " "	1 00

PATENT IMPROVED SOLID CAST STEEL SCREW DRIVERS.



The Blades of both brands of our Screw Drivers are made from the same superior quality of Cast Steel, and are tempered with great care. They are ground down to a correct taper, and shaped at the end by special machinery; thus procuring perfect uniformity in size and strength, while the peculiar form of the point gives it unequaled firmness in the screw-head when in use.

The Handles are of the most approved pattern, the Brass Ferrules, of the thimble form, extra heavy, and closely fitted.

The shanks of the blades to No. 64 Screw Drivers are properly slotted to receive a patent metallic fastening, which secures them permanently in the handles.



Our Screw Drivers are fully
WARRANTED.



No. 64. Varnished Handles.

[With Patent Metallic Fastening.]

Sizes,	1½	2	3	4	5	6	7	8	10	12	Inches.
	\$1 00	1 50	2 00	2 50	3 00	3 50	4 00	4 75	6 00	8 00	Per Doz.

One-half dozen in a box.

No. 86. Polished Handles.

Sizes,	2	3	4	5	6	7	8	10	12	Inches.
	1 50	2 00	2 50	3 00	3 50	4 00	4 75	6 00	8 00	Per Doz.









One-half dozen in a box.

SCREW DRIVER HANDLES.

No.		Per Doz.
7.	Assorted Sizes, 1 dozen in a box.....	\$1 00
8.	Large Sizes, 1 dozen in a box.....	1 25
9.	Extra Large, 1 dozen in a box.....	1 50

BAILEY'S IRON SPOKE SHAVES.

The Spoke Shaves in the following List are superior in style, quality and finish to any in market. The Cutters are made of the best English Cast Steel, tempered and ground by an improved method, and are in perfect working order when sent from the factory.

- | No. | | Per Doz. |
|--------------------|---|----------|
| |  | |
| 51. | Double Iron, Raised Handle, 10 inch, 2 $\frac{1}{4}$ inch Cutter | \$3 50 |
| |  | |
| 52. | Double Iron, Straight Handle, 10 inch, 2 $\frac{1}{4}$ inch Cutter | 3 50 |
| |  | |
| 53. | Adjustable, Raised Handle, 10 inch, 2 $\frac{1}{8}$ inch Cutter | 4 50 |
| |  | |
| 54. | Adjustable, Straight Handle, 10 inch, 2 $\frac{1}{8}$ inch Cutter | 4 50 |
| |  | |
| 55. | Model Double Iron, Hollow Face, 10 inch, 2 $\frac{1}{8}$ inch Cutter | 3 00 |
| |  | |
| 56. | Coopers' Spoke Shave, 18 inch, 2 $\frac{5}{8}$ inch Cutter | 7 00 |
| 56 $\frac{1}{2}$. | Coopers' Spoke Shave (Heavy), 19 inch, 4 inch Cutter | 9 00 |
| 57. | Coopers' Spoke Shave (Light), 18 inch, 2 $\frac{5}{8}$ inch Cutter | 4 50 |
| |  | |
| 58. | Model Double Iron, 10 inch, 2 $\frac{1}{4}$ inch Cutter | 3 00 |
| 59. | Single Iron (Pattern of No. 56), 10 inch, 2 $\frac{1}{4}$ inch Cutter | 3 50 |
| |  | |
| 60. | Double Cutter, Hollow and Straight, 10 inches, 1 $\frac{1}{2}$ inch Cutter | 4 50 |

Price List of Spoke Shave Cutters.

- | | |
|--|------|
| Nos. 51, 52, 53, 54, 55, 57, 58, 59 | 1 00 |
| No. 60 (in pairs), \$1 50; No. 56, \$1 50; No. 56 $\frac{1}{2}$, \$2 00 | |

IRON SPOKE SHAVE.



- | | | |
|-----|---|----------|
| No. | | Per Doz. |
| 64. | Straight Handle, 9 inch, $2\frac{1}{8}$ inch Cutter (with Thumb Screw)..... | \$2 00 |
| | Cast Steel Cutters | 75 |

PATENT REVERSIBLE SPOKE SHAVE.


This Spoke Shave can be worked to and from the person using it, without changing position.



- | | | |
|-----|---|------|
| 62. | Raised Handle (Heavy), Double Cutter, 10 inch, $2\frac{1}{8}$ inch Cutters..... | 6 00 |
| | Cast Steel Cutters | 1 00 |

PATENT CHAMFER SPOKE SHAVE.


This Tool can be easily adjusted by means of the thumb-screws attached to the Guides; and will chamfer an edge any desired width up to $1\frac{1}{4}$ inch.



- | | | |
|-----|--|------|
| 65. | Raised Handle, $1\frac{1}{4}$ inch Cutter..... | 6 00 |
| | Cast Steel Cutters | 75 |

PATENT ADJUSTABLE BOX SCRAPER.

An excellent Box Scraper, and also well adapted for planing floors.



- | | | |
|-----|--|------|
| 70. | Malleable Iron. 2 inch Steel Cutter..... | 6 00 |
| | Cast Steel Cutters | 1 50 |

WHEELER'S PATENT COUNTERSINK.
FOR WOOD.

This Countersink works equally well for every variety of screw. The Countersink cuts rapidly, and is easily sharpened by drawing a thin file lengthwise inside of the cutter. By fastening the Gauge at a given point, any number of screws may be driven so as to leave the heads flush with the surface, or at a uniform depth below it.

- | | | |
|-----|--|----------|
| No. | | Per doz. |
| 18. | Countersinks, $\frac{1}{4}$ dozen in a box | \$3 00 |
| 20. | Countersinks, with Gauge, $\frac{1}{4}$ dozen in a box ... | 4 50 |

STANLEY'S IMPROVED
DOWEL SHARPENER.


This Tool is the reverse of the Countersink, and can be sharpened with equal ease. By its use Dowel Pins can be sharpened rapidly and uniformly.

- | | | |
|-----|---|----------|
| No. | | Per Doz. |
| 22. | Dowel Sharpener, $\frac{1}{2}$ dozen in a box | \$3 00 |



PATENT EXCELSIOR TOOL HANDLES.

DIRECTIONS.—Unscrew the Cap of the Handle and select the Tool needed ; with the thumb, the center bolt may be thrust down sufficiently to open the clamp at the small end of the Handle, into which the Tool can be inserted ; then, in replacing the cover and screwing it down to its place, the clamp will be closed and the Tool firmly secured for use.




No.

Per Doz.

1. Turkey Boxwood Handle, with Twenty Tools.....\$7 50


One-half dozen in a box.



2. Iron Handle, with Twelve Tools 4 00
 3. Iron Handle, with Twenty Tools 5 50
 22. Iron Handle, Nickel Plated, with Twelve Tools 5 00
 23. Iron Handle, Nickel Plated, with Twenty Tools.... 6 50


One-half dozen in a box.

CARPENTERS' TOOL HANDLES.




No.		Per Doz.
8.	Carpenter's Tool Handle, Steel Screw and Nut, with Wrench, 1 dozen in a box	\$0 90
8½.	Carpenter's Tool Handle, Steel Screw and Nut, with Wrench, and 10 Brad Awls, assorted sizes. One handle and awls, in a box, and 12 boxes in a package	3 00


AWL HAFTS.



No.		Per Gross.
5.	Hickory, Pegging Awl Haft, Plain Top, steel Screw and Nut, with Wrench, 1 dozen in a box	10 00
6.	Hickory Pegging Awl Haft, Leather Top, Steel Screw and Nut, with Wrench, 1 dozen in a box	12 00
7.	Hickory, Pegging Awl Hafts, Leather Top, Extra Large, Riveted, Steel Screw and Nut, with Wrench, 1 dozen in a box	14 00



6½.	Appletree, Sewing Awl Haft, to hold any size Awl, Steel Screw and Nut, with Wrench, 1 dozen in a box	12 00
-----	--	-------




10.	Common Sewing Awl Haft, Brass Ferrule, 3 dozen in a box	3 50
11.	Common Pegging Awl Haft, Brass Ferrule, 3 dozen in a box	3 50

PATENT PEGGING AWLS.

	PATENT PEGGING AWLS (short start, for Handle Nos. 5 and 6), Assorted, 1 gross in a box	80
--	--	----

CHALK-LINE REELS, ETC.




No.		Per Doz.
12.	Chalk-Line Reels, 3 dozen in a box	\$0 36
13.	Chalk-Line Reels, with 60 feet best quality Chalk-Line, 1 dozen in a box	1 75
14.	Chalk-Line Reels, with Steel Scratch Awls, 1 doz. in a box	95
15.	Chalk-Line Reels, with Steel Scratch Awls, and 60 feet best quality Chalk-Line, 1 dozen in a box	2 25

HANDLED SCRATCH AWLS.



No.		Per Gross.
1.	Handled, Steel Scratch Awls, 1 dozen in a box	7 00
2.	Handled, Steel Scratch Awls, Large, 1 dozen in a box	8 50

HANDLED BRAD AWLS.




3.	Handled Brad Awls, assorted, 1 dozen in a box	6 50
4.	Handled Brad Awls, assorted, Large, 1 dozen in a box	7 00



5.	Brad Awl Handles, Brass Ferrules, assorted, 3 doz. in a box	3 50
----	---	------

SAW HANDLES.


All full sizes, of perfect timber, well seasoned, and every way superior and reliable goods.




No.		Per Doz.
1.	Full Size, Cherry, Varnished Edges	\$1 65
2.	Full Size, Beech, Varnished Edges	1 40
3.	Full Size, Beech, Plain Edges	1 20
4.	Small Panel, Beech, Varnished Edges, 16 to 20 in. Saws..	1 35
5.	Meat Saw, Beech, Varnished Edges	1 35
6.	Compass Saw, Beech, Varnished Edges	1 25
7.	Back Saw, Beech, Varnished Edges	1 35

In paper boxes of one dozen each—packed two gross in a case.

PLANE HANDLES.



NO. 10.




NO. 12.

Jack Plane Handles, 5 gross in a case	Per Doz.
Fore, or Jointer Handles, 3 $\frac{3}{4}$ gross in case	\$0 42
	75

In packages of one dozen each.


MALLETS.

MORTISED HANDLES.




No. 2.

No.			Per Doz.
1.	Round Hickory,	Mortised, 5 in. long, 3 in. diam...	\$1 50
2.	Round Hickory,	Mortised, 5½ in. long, 3½ in. diam...	2 00
3.	Round Hickory,	Mortised, 6 in. long, 4 in. diam...	2 50
5.	Round Lignumvitæ,	Mortised, 5 in. long, 3 in. diam...	3 00
6.	Round Lignumvitæ,	Mortised, 5½ in. long, 3½ in. diam...	4 00
7.	Round Lignumvitæ,	Mortised, 6 in. long, 4 in. diam...	5 00



No. 13.

8.	Square Hickory,	Mortised, 6 in. long, 2½ by 3½ in...	2 00
9.	Square Hickory,	Mortised, 6½ in. long, 2½ by 3½ in...	2 50
10.	Square Hickory,	Mortised, 7 in. long, 3 by 4 in...	3 00
11.	Square Lignumvitæ,	Mortised, 6 in. long, 2½ by 3½ in...	3 75
12.	Square Lignumvitæ,	Mortised, 6½ in. long, 2½ by 3½ in...	4 75
13.	Square Lignumvitæ,	Mortised, 7 in. long, 3 by 4 in...	5 75



No. 14.

14.	Round Mallet, Mortised, Iron Rings,	6 in. long, 4 in. diam.	5 50
14½.	Round Mallet, Mortised, Iron Rings,	5½ in. long, 3½ in. diam.	4 00

MALLETS.


MORTISED HANDLES.



No.

Per Doz.

15. Round Iron Mallet, Mortised, Hickory Ends, 2½ in. diam. \$4 00



16. Round Mallet, Heavy Malleable Iron Socket, Mortised, Hickory Ends, 3 inch diameter 7 50

TINNERS' MALLETS.




No.

Per Doz.

4. Round Hickory, 5½ in. long, assorted, 2½ and 2¼ in. diameter, \$1 00


MAGNETIC TACK HAMMERS.

	Per Doz.
No. 1. Small, Claw on Head, 1 dozen in a box.....	\$1 25
No. 2. Medium, Claw in Handle, 1 dozen in a box.....	1 50
No. 3. Large, Claw in Handle, 1 dozen in a box.....	1 75



No. 12. Iron (Magnetic), Hammer and Claw combined, 1 dozen in a box..... 1 25

PATENT IMPROVED TACK HAMMER.




	Per Doz.
No. 4. Malleable Iron, Inlaid with Black Walnut, hardened face, 1 dozen in a box.....	\$2 50

SADDLERS' AND UPHOLSTERERS' HAMMER.

No. 5. Malleable Iron, Polished, Inlaid with Black Walnut, hardened face, 1 dozen in a box.....	5 00
---	------


STEAK HAMMER AND ICE PICK.

No.		Per Doz.
7.	Iron, Japanned, Polished Handle, $\frac{1}{2}$ dozen in a box	\$2 25
8.	Iron, X Plated, Polished Handle, $\frac{1}{2}$ dozen in a box	3 00



IMPROVED STEAK HAMMER AND ICE PICK.

No.		Per Doz.
9.	Malleable Iron, Japanned, Inlaid Handle, $\frac{1}{2}$ dozen in a box	\$4 00
10.	Malleable Iron, X Plated, Inlaid Handle, $\frac{1}{2}$ dozen in a box	4 50



INDEX.



	Page.
Awl Hafts	57
Awls, Patent Pegging	57
Beader, Stanley's Universal	47
Bevels, Sliding T	27
Bevels, Patent Flush, Eureka	27
Bit and Square Level	20
Box Scraper, Adjustable	55
Brad Awls, Handled	58
Carpenters' Tool Handles	57
Chalk-Line Reels and Awls	58
Chisel Gauge	48
Clapboard Gauge	50
Clapboard Marker	50
Countersinks, Wheeler's Patent	55
Dado, Filletster, Plow, etc., combined	42
Dado, Adjustable	42
Dowel Sharpener	55
Gauges	28 to 30
Gauges, with Improved Face Plate	31
Gauges, Butt and Rabbet	51
Handles, Brad Awl	58
Handles, Plane	59
Handles, Saw	59
Handles, Screw Driver	53
Hammers, Magnetic	62
Hammers, Tack, No. 4	62
Hammers, Steak	63
Hammers, Upholsterers'	62
Hollows and Rounds, for Plane No. 45	41
Level, Bit and Square	20
Level Glasses	21
Level Sights	20
Levels, Machinists' Iron	21
Mallets, Hickory and Lignumvitæ	60 and 61
Mitre Box, Improved	48
Mitre Squares, Improved	24
Mitre Try Squares, Improved	24
Odd Jobs	49
Planes, Bailey's Patent Adjustable	32 to 36
Planes, Stanley Patent Adjustable	37 to 39
Planes, "Victor" Circular	46
Plane Irons	35 and 38

	Page.
Planes, Belt	34
Planes, Beading	44
Planes, Beading, Rabbet and Slitting	40
Planes, Bull-Nose Rabbet	39
Planes, Chamfer	46
Planes, Dado, Filletster, etc.	42
Planes, Floor	47
Planes, Knuckle-Joint	36
Planes, Nosing	41
Planes, Rabbet	45
Planes, Router	46
Planes, Tonguing and Grooving	44
Plow, Bull-Nose Matching Plane, etc.	43
Plow, Filletster and Matching Plane	43
Plow and Matching Plane	43
Plumbs and Levels, Non-Adjustable	18
Plumbs and Levels, Patent Adjustable	19
Plumbs and Levels, Nicholson's Patent	20
Plumbs and Levels, Hand-y	16
Plumbs and Levels, Duplex	16
Plumb Bobs, Adjustable	52
Pocket Levels	21
Roofing Brackets	51
Rules, Stanley's Boxwood	3 to 10
Rules, Stanley's Ivory	11
Rules, Stanley's Miscellaneous	12 and 13
Rules, Stearns' Ivory	14 and 15
Siding Gauge	50
Siding Marker	50
Scratch Awls, Handled	58
Screw Drivers	53
Spoke Shaves, Bailey's	54
Spoke Shaves, Iron	55
Spoke Shaves, Patent Reversible	55
Spoke Shaves, Patent Chamfering	55
Spoke Shave Cutters	54
Trammel Points	52
Trammel Points, for Rules	48
Tool Handles and Tools, Excelsior	56
Try Squares	26
Try Squares, Adjustable	22
Try Squares, Improved Iron Handle	22
Try Squares, Inlaid	25
Try Squares, Plumb and Level	26
Try Square and Bevel, Patent Combination	25
Try and Mitre Squares, Winterbottom's Patent	23
Veneer Scrapers	34 and 37

Attach to our PRICE LIST of January, 1892.

DISCOUNT SHEET.

STANLEY RULE AND LEVEL CO.

JANUARY 1, 1892.


Catalogue Pages.	Discount per cent.
57. AWL HAFTS	50
57. Awls, Patent Pegging.....	50
47. BEADER, Stanley's Universal.....	20
27. BEVELS, Sliding T.....	60
27. Bevels, Patent Flush Eureka.....	30
20. BIT and SQUARE LEVEL.....	20
55. Box Scraper, Adjustable.....	30
58. Brad Awls, Handled.....	30
51. BUTT and RABBIT GAUGE.....	30
50. CLAPBOARD MARKER.....	20
50. Clapboard Gauge.....	20
58. Chalk-lines, Reels and Awls.....	30
57. Carpenters' Tool Handles.....	40
48. CHISEL GAUGE.....	20
55. Countersinks, Wheeler's Patent.....	40
55. DOWEL SHARPENER.....	40
28 to 30. GAUGES.....	60
31. Gauges, with Improved Face-Plate.....	60
51. Gauges, Butt and Rabbit.....	20
58. Handles, Brad Awl.....	20
59. Handles, Plane.....	40
59. Handles, Saw.....	40
53. Handles, Screw Driver.....	50
62. Hammers, Magnetic.....	30
62. Hammers, Tack, No. 4.....	30
63. Hammers, Steak.....	30
62. Hammers, Upholsterers'.....	30
41. Hollows & Rounds, for Plane No. 45.....	25
20. LEVEL, Bit and Square.....	20
21. Levels, Machinists' Iron.....	30
21. Level Glasses.....	70
20. LEVEL SIGHTS.....	20
60 & 61. MALLETs.....	25
48. Mitre Boxes.....	20
24. Mitre Squares.....	30
21. Mitre Try Squares.....	30
40. ODD-JOBS, Stanley's.....	20
18. PLUMBS and LEVELS, Non-Adjustable.....	75
19. Plumbs and Levels, Patent Adjustable.....	75
16. Plumbs and Levels, HAND-Y.....	20
16. Plumbs and Levels, DUPLEX.....	20
20. Plumbs and Levels, Nicholson's Patent.....	30
21. Pocket Levels.....	70

Catalogue Pages.	Discount per cent.
32 to 34. PLANES, Bailey's Adjustable.....Iron.....	50
35. Planes, Bailey's Adjustable.....Wood.....	50
36. Planes, Bailey's Adjustable.....Block.....	50
37. Planes, Stanley Adjustable.....Iron.....	50
38. Planes, Stanley Adjustable.....Wood.....	50
30. Planes, Stanley Adjustable.....Block.....	50
46. Planes, Victor Circular.....	50
35 & 38. Plane Irons.....	50

MISCELLANEOUS PLANES.

44. Planes, Beading.....	25
40. Planes, Beading, Rabbit and Slitting.....	25
46. Planes, Chamfer.....	25
42. Planes, Dado.....	25
47. Planes, Floor.....	25
41. Planes, Nosing, for Plane No. 45.....	25
45. Planes, Rabbit.....	25
45. Planes, Rabbit and Filletster.....	25
46. Planes, Router.....	25
44. Planes, Tonguing and Grooving.....	25
42. PLOW, Dado, Filletster, etc.....	25
43. Plow, Filletster and Matching Plane.....	25
43. Plow and Matching Plane, Bull-Nose.....	25
52. PLUMB BOBS, Adjustable.....	30
51. ROOFING BRACKETS.....	20
3 to 10. RULES. Boxwood.....Stanley's.....	80
11. Rules, Ivory.....Stanley's.....	50
14 & 15. Rules, Ivory.....Stearns'.....	50
12 & 13. Rules, Miscellaneous.....Stanley's.....	60
58. Scratch Awls Handled.....	30
53. SCREW DRIVERS, No. 64, Var. Hds.....	65
53. Screw Drivers, No. 86.....	70
54 & 55. SPOKE SHAVES, Bailey's.....	40
52. Spoke Shave Cutters, Bailey's.....	40
52. TRAMMEL POINTS.....	30
48. Trammel Points, for Rules.....	20
56. Tool Handles and Tools, Excelsior.....	40
26. TRY SQUARES, No. 20.....	60
22. Try Squares, Adjustable, No. 14.....	30
22. Try Squares, Iron Handle, No. 12.....	30
25. Try Squares, Inlaid, No. 10.....	30
26. Try Squares, Plumb and Level.....	30
21. Try Square and Bevel, Combination.....	30
23. Try and Mitre Square, Winterbottom's.....	30
34 & 37. Veneer Scrapers.....	50

DISCOUNT for Cash (IF PAID WITHIN THIRTY DAYS), 10 per Cent.

 **TERMS CASH.**—Payable in current New York or Boston funds. Invoices remaining unpaid after Thirty Days from their date are subject to our Draft, payable at sight.

PRICE LIST
OF
U. S. STANDARD
BOXWOOD AND IVORY
RULES,

PLUMBS AND LEVELS, TRY SQUARES,
BEVELS, GAUGES, MALLETS,
IRON AND WOOD ADJUSTABLE PLANES,
SPOKE SHAVES, SCREW DRIVERS,
AWL HAFTS, HANDLES, &c.

MANUFACTURED BY THE

STANLEY
RULE AND LEVEL CO.

NEW BRITAIN, CONN., U. S. A.

WAREROOMS:

No. 29 CHAMBERS STREET, NEW YORK.

ORDERS FILLED AT THE WAREROOMS, OR AT NEW BRITAIN.

ABRIDGMENT

Revised to 1897

JANUARY, 1892.

OFFICE OF THE
STANLEY RULE AND LEVEL CO.
NEW BRITAIN, CONN., U. S. A.

This Illustrated Catalogue presents the full line of
IMPROVED LABOR-SAVING——
——CARPENTERS' TOOLS


now manufactured by us. It will be interesting to Hardware Dealers, as containing genuine Goods, with an established reputation. Such Goods will sell themselves.

Mechanics require no explanation, or apology, from the Dealer who offers them STANLEY'S Tools; and the uniform report from those who use these Tools is, that they want more.


Our continued efforts are pledged to produce a grade of Tools acceptable to Mechanics, and worthy the ineffectual attempts made by other manufacturers to imitate them.

JANUARY 1, 1892.

STANLEY'S TWO FEET, FOUR FOLD, NARROW RULES.



STANLEY'S TWO FEET, TWO FOLD, SLIDE RULES.



No. 12.


We have an improved Treatise on the Gunter's Slide and Engineer's Rules, showing their utility, and containing full and complete instructions, enabling Mechanics to make their own calculations. It is also particularly adapted to the use of persons having charge of cotton or woolen machinery, surveyors, and others. 200 pages, bound in cloth. Price, \$1.00, net. Sent by mail, postpaid, on receipt of the price.

SHIP CARPENTERS' BEVELS.



No. 42.

ARCHITECTS' RULES, WITH BEVELED EDGES.




Nos. 53 1/2 and 86 1/2. For description of No. 53 1/2 (Boxwood) see page 4, and for description of No. 86 1/2 (Ivory) see page 11.

BOXWOOD CALIPER RULES, SIX INCH.



No.		Per Doz.
36.	Square Joint, Two Fold, 8ths, 10ths, 12ths and 16ths of inches $\frac{7}{8}$ in. wide,	\$7 00
13.	Square Joint, Two Fold, 8ths and 16ths inches, $1\frac{1}{2}$ "	10 00
13 $\frac{1}{2}$.	Square Joint, Two Fold, 8ths and 16ths inches, $1\frac{1}{2}$ "	12 00

CALIPER, ONE FOOT, FOUR FOLD.




32.	Arch Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches 1 in. wide,	12 00
32 $\frac{1}{2}$.	Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches 1 "	20 00

CALIPER, ONE FOOT, TWO FOLD.

36 $\frac{1}{2}$.	Square Joint, Two Fold, 12 inch, 8ths, 10ths, 12ths and 16ths of inches $1\frac{3}{4}$ "	12 00
--------------------	--	-------

TWO FEET, SIX FOLD RULES.



No. 58.


58.	Arch Joint, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches $\frac{3}{4}$ in. wide,	13 00
58 $\frac{1}{2}$.	Arch Joint, Bound, 8ths, 10ths, 12ths and 16ths of inches $\frac{3}{4}$ "	36 00

STANLEY'S IVORY RULES.



No.	IVORY CALIPER, SIX INCH.	Per Doz.
38.	Square Joint, German Silver, Two Fold, 8ths, 10ths, 12ths and 16ths of inches $\frac{1}{8}$ in. wide,	\$15 00
40 $\frac{1}{2}$.	Square Joint, German Silver, Bound, Two Fold, 8ths and 16ths of inches $\frac{1}{8}$ " "	24 00

IVORY CALIPER, ONE FOOT, FOUR FOLD.



39.	Square Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches $\frac{1}{8}$ in. wide,	38 00
40.	Square Joint, German Silver, Bound, 8ths and 16ths of inches $\frac{1}{8}$ " "	44 00

IVORY, ONE FOOT, FOUR FOLD.

90.	Round Joint, Brass, Middle Plates, 8ths and 16ths of inches.....	10 00
92 $\frac{1}{2}$.	Square Joint, German Silver, Middle Plates, 8ths and 16ths of inches.....	14 00
92.	Square Joint, German Silver, Edge Plates, 8ths and 16ths of inches.....	17 00
88 $\frac{1}{2}$.	Arch Joint, German Silver, Edge Plates, 8ths and 16ths of inches.....	21 00
88.	Arch Joint, German Silver, Bound, 8ths and 16ths of inches.....	32 00
91.	Square Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches.....	23 00

IVORY, TWO FEET, FOUR FOLD.

85.	Square Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches..... $\frac{1}{8}$ in. wide,	54 00
86.	Arch Joint, Ger. Silv., Ed. Plates, 8ths, 10ths, 12ths, 16ths in., 100ths foot, Draft'g Scales, 1 " "	64 00
86 $\frac{1}{2}$.	Arch Joint, German Silver, Edge Plates, 8ths, 10ths, 12ths and 16ths of inches, with Inside Beveled Edges, and Architects' Dftg. Scales, 1 " "	96 00
87.	Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales . 1 " "	80 00
89.	Double Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of in. Drafting Scales, 1 " "	92 00
95.	Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of inches, Drafting Scales, 1 $\frac{1}{8}$ " "	102 00
97.	Double Arch Joint, German Silver, Bound, 8ths, 10ths, 12ths and 16ths of in. Drafting Scales, 1 $\frac{1}{8}$ " "	116 00

BOARD AND LOG MEASURES.

NOTE.—Nos. 48½, 49, 49½, 47, 47½, 48 and 49 give the contents in Board Measure of 1 inch Boards.

DIRECTIONS.—Place the stick across the flat surface of the Board, bringing the inside of the Cap snugly to the edge of the same; then follow with the eye the Column of figures in which the length of the Board is given as the first figure under the Cap, and at the mark nearest the opposite edge of the Board will be found the contents of the Board in feet.

No. 47.



No. 47½



No. 48½



No. 49.



No. 48.



NOTE.—The Log Measure (No. 48½) has Doyle's Revised Tables, and gives the number of feet of one inch square edged boards which can be sawed from a log of any size, from 12 to 86 inches in diameter, and of any length. The figures immediately under the head of the Cane are for the lengths of Logs in feet. Under these figures, on the same line at the mark nearest the diameter of the Log, will be found the number of feet the Log will make.

No. 45.



No. 45 Gauging Rod is graduated in Wine Measure, up to 120 gallons, on one side, and in inches and parts of inches on the other sides.
DIRECTIONS.—To ascertain the capacity of a Barrel insert the Rod in the bung hole, in a slanting direction to the chime, note pointing the point of the rod to the chime at the middle of the bung hole, on a line with the under side of the stave; then reverse the process, running the rod to the chime at the other end of the barrel; and if the bung hole is exactly in the middle of the barrel, the result will be the same as before, and the capacity of the barrel will be shown. If the measurements differ, add them together and divide by two, and you have the number of gallons the barrel will hold.

No. 44.




No. 44 Wantage Rod has 8 Tables, or Lines, for Barrels of 16, 28, 82, 42, 49, 84, 110 and 120 Gallons.

DIRECTIONS.—Having found the capacity of the Barrel by use of the Gauge Rod, insert the Wantage Rod perpendicularly in the bung hole, holding it so that the brass lip points toward the head of the barrel; lower it slowly until the lip comes just under the inner side of the stave, then withdraw it, being careful not to let the rod go any further into the barrel; and the mark where the rod is wet, on the line which has the full capacity of the barrel at the top, shows the number of gallons that are wanting to fill it.

STANLEY'S PATENT

HAND-Y PLUMB AND LEVEL.



This Level can be used in horizontal position, or can be brought to perpendicular for ascertaining a plumb, with remarkable ease, as the shallow grooves along the two sides afford an excellent grip on the Tool. This Level will be especially useful in House-framing, Bridge-building and general out-of-door work.

No.

Per Doz.

16. Patent Adjustable Hand-y Plumb and Level, Cherry, Arch Top Plate, Two Side Views, Polish'd, Tipped, Ass'd, 24 to 30 inches, **\$15 00**

STANLEY'S PATENT

DUPLUX PLUMBS AND LEVELS.




These Levels have the ordinary form of leveling glass, set in the top surface of the Stock. For any uses where an observation of the glass, *sidewise*, may be found convenient, an additional leveling glass is set in the side, at the opposite end from the Plumb. Both glasses are protected by Brass Discs, can be seen from either side, and are inserted in the Level with the least possible removal of wood from the Stock.

No.

Per Doz.

25. Patent Adjustable Plumb and Level, Mahogany, Arch Top Plate, Improved Duplex Side Views, Polished, Tip'd, Ass'd, 24 to 30 in., **\$24 00**
30. Patent Adjustable Plumb and Level, Cherry, Arch Top Plate, Improved Duplex Side Views, Polished, Tip'd, Ass'd, 24 to 30 in., **18 00**
50. Patent Adjustable Plumb and Level, Cherry, Triple Stock, Arch Top Plate, Improved Duplex Side Views, Polished and Tipped, Assorted, 24 to 30 inches..... **24 00**

STANLEY'S PATENT ADJUSTABLE PLUMB AND LEVEL.



The Spirit-glass (or bubble tube), in both the Level and Plumb, is set in a metallic case attached rigidly to the Brass Top-plate above; and should it be necessary from any cause to adjust either glass, it can be done by means of the screw designated "Adjusting Screw."

Plumbs and Levels Nos. 01, 02, 03, etc., in this Price List, correspond exactly with the Nos. 1, 2, 3, etc., except that the former are non-adjustable and the latter adjustable.

The improved slots now made in all our Top-plates afford a ready means for detecting the movement of the bubble, to or from the center of the Glass.

PLUMBS AND LEVELS—HAND-Y.


17

No. 0.


No. 3.

No. 9.

No. 30.



No. 35.



NOTE.—The addition of the Hand-y feature to our whole line of Levels, is shown above. No 3 Level will take the place of No. 16 (p. 16), now discontinued.

PROVED LEVEL GLASSES.




Made of extra thick tubing. By a patented process, each Level Glass receives an indelible mark at its highest, or crowning point in the center; and the owner can thus easily set the glass accurately in its proper position.

PRICES.

Proved Level Glasses, packed 1 doz. in a box.....	1 $\frac{3}{4}$ inch,	\$9 50
Proved Level Glasses, packed 1 doz. in a box.....	2 "	10 00
Proved Level Glasses, packed 1 doz. in a box.....	2 $\frac{1}{2}$ "	10 50
Proved Level Glasses, packed 1 doz. in a box.....	3 "	11 50
Proved Level Glasses, packed 1 doz. in a box.....	3 $\frac{1}{2}$ "	13 00
Proved Level Glasses, packed 1 doz. in a box.....	4 "	14 50
Proved Level Glasses, packed 1 doz. in a box.....	4 $\frac{1}{2}$ "	16 00
Proved, Assorted, 1 $\frac{3}{4}$, 3 and 3 $\frac{1}{2}$ inch, 1 doz. in a box		12 00

SIDE RABBIT PLANE.

(See page 40 $\frac{1}{2}$)



A convenient tool for side-rabbeting and trimming dados, mouldings and grooves of all sorts. A reversible nose-piece will give the tool a form by which it will work close up into corners when required.

No. 98.	Side Rabbit Plane, 4 inches in length, Right Hand,	Each. \$0.90
No. 99.	Side Rabbit Plane, 4 inches in length, Left Hand,	.90

The liberal sale of this excellent Tool has developed a demand for a Left Handed pattern, which we now furnish, as above, No. 99.

(17 $\frac{1}{2}$)

HAND-Y PLUMBS AND LEVELS.

WITH GROUND GLASSES.

No.


Per Doz.

60. Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, with Ground Glasses, 24 to 30 inches, **\$35.00**
90. Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Tipped, with Ground Glasses.....24 to 30 inches, **\$39.00**



No. 95.

95. Brass Bound, Mahogany Plumb and Level, Two Brass Lipped Side Views, with Ground Glasses, 24 to 30 inches, **72.00**
96. Brass Bound, Rosewood Plumb and Level, Two Brass Lipped Side Views, with Ground Glasses, 24 to 30 inches, **80.00**
98. Brass Bound, Rosewood Plumb and Level, Two Brass Lipped Side Views, with Ground Glasses, 12 inches, **48.00**

 Packed separately, in paste-board boxes. In ordering, dealers should designate the lengths of the Levels wanted—24, 26, 28 or 30 inch.

HAND-Y PLUMBS AND LEVELS.

FOR MASONS.

The two Plumb Glasses are set in separate holes ; but each on the right-hand side. This will enable the workman to plumb work below where he stands, or above him, without turning the Level Stock end for end ; which is found to be a great convenience.

70. Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Two Plumbs, with Ground Glasses36 inches, **45.00**
80. Mahogany Plumb and Level, Arch Top Plate, Two Brass Lipped Side Views, Two Plumbs, with Ground Glasses42 inches, **50.00**

GROUND GLASSES.

The inside surfaces of these Glasses are ground perfectly smooth ; and thus the bubble is made extremely sensitive.

HEXAGON POCKET LEVELS.

WITH DETACHABLE BASE PIECE.




- No. **33.** Nickel Plated, with Ground Glasses, complete.....\$1.25 Each.
One in a box.



- 33 1/2.** Hexagon Pocket Level, Nickel Plated, 2 1/2 inch, with
Ground Glasses,..... .75
One in a box.
Base-pieces, 3 1/2 inch, if ordered separately..... .50


ECLIPSE LEVELS.

A CONVENIENT TOOL FOR MACHINISTS, ELECTRICIANS AND EXPERT
MECHANICS OR AMATEURS.



- 34.** Eclipse Level, Nickel Plated, 6 in., with Ground Glasses, \$1.50
The outer shell of the Level can be turned, so as to completely protect the glass
from damage when not in use.
One in a box.

IMPROVED WOOD SCRAPER.




This Scraper can be adjusted to any desired pitch; and may be worked toward or from the person using it. The Roller acts as a support to relieve the strain on the wrist and hands of the workman. The Handle can be detached for working into corners.

- No. **83.** Wood Scraper, with Handles and Roller, 3 in. Blade, \$1.00


TRY SQUARES, No. 20.

See Prices and Description, Page 26.



BEVELS, No. 25.

See Prices and Description, Page 27.



MEMORANDUM.

Improvements have been made in the Tools illustrated above. All sizes of both lines are now made by us with the "Hand-y" feature, first introduced by us on our Plumbs and Levels, and which has given them the preference with all first-class Mechanics.

The "Hand-y" feature will be found equally desirable on a Try Square, or Bevel, for the more convenient use of these Tools.

 Please insert opposite Page 35, Illustrated Catalogue, 1892.

STANLEY'S PATENT IMPROVED PLANE IRONS.

The improved form of this Plane Iron renders it unnecessary to detach the Cap-Iron, *at any time*; as the connecting screw will slide back to the extreme end of the slot in the Plane Iron, without the danger of falling out. The screw may then be tightened, by a turn with thumb and finger; and the Cap-iron will serve as a convenient handle, or rest, in whetting or sharpening the cutting edge of the Plane Iron.




Illustration of Plane Iron, with Cap-screw fastened just back of circular opening in the slot, and in position for using the Iron.




Illustration of Plane Iron, with Cap-screw moved to back end of the slot, and in position for sharpening the Iron, without removing the cap.


The greater convenience in using, and the security from loss of the different parts, both commend this Improved Plane Iron to all wood-workers.

 See Price List of Plane Irons at bottom of opposite page.

STANLEY'S PATENT THROAT ADJUSTMENT.

For opening or closing the throat of the Plane, as coarse or fine work may require.

By moving the Eccentric Plate to the right, the throat can be closed, as shown by the dotted line. A single turn of the Knob will fasten the Plate, and secure any desired width for the throat.




Block Planes are used largely for planing across the ends of boards, or of blocks, and in fitting close joints. The pitch of the Plane Iron is less than in ordinary Bench Planes, and the Iron is used with the bevel uppermost at the cutting edge, to further aid in cutting across the grain of wood.

A convenient adjustment for changing the width of the throat of Block Planes is especially important to wood-workers. All the Nos. (9½, 9¾, 15, 15½, 16, 17, 18 and 19) shown on page 36, opposite, are now equipped with the adjustment illustrated above.


WOODWORKER'S HANDY ROUTER PLANE.

WITH CLOSED THROAT.



No. 71½. Iron Stock, with Steel Bits (¼ and ½ inch).....Each.
\$1.25



Below is an illustration of the Improved No. 45 Beading, Rabbet and Slitting Plane. An additional Plow and Dado Bit ($\frac{3}{4}$ inch) and a Sash Tool, are now sent out with the Plane, making *Twenty Tools* in all. The cutters are adjusted by a screw, and also the Depth Gauge has a screw adjustment; both features adding greatly to the precision with which the Plane can be worked.



A removable Rosewood Face is attached to the Fence. The Plane is Nickel Plated; and is sent out already set up for working, packed in a neat Wooden Box.

See opposite (page 40) for general description and price.


SIDE RABBIT PLANE.



A convenient tool for side-rabbeting and trimming dados, mouldings and grooves of all sorts. A reversible nose-piece will give the tool a form by which it will work close up into corners when required.

No. 98. Side Rabbet Plane, 4 inches in length..... \$0.90

RABBIT AND BLOCK PLANE.




A detachable side will easily change this tool from a Block Plane to a Rabbet Plane, or *vice versa*. The cutter is set on a *skew*.

No. 140. Rabbet and Block Plane, with detachable side,
7 inches in length, $1\frac{1}{4}$ inch cutter..... \$1.25

CORE-BOX PLANE.

A Tool much needed by Pattern-Makers, Wheelwrights, and others, for planing out semi-circles.



No. 57. Core-Box Plane, for semi-circles, up to 2½ inch diameter..... \$3.00

This Plane is constructed so that the sides can be extended by additional sections, 2½ inch wide, until a diameter of 10 inches can be worked, if desired.

The price for these additional Sections.....per pair, 1.00



STANLEY'S "ODD JOBS."

The Tool is now sent out with a 12 inch Graduated Ruler inserted in it; and near one end of the Ruler is an Adjustable Steel Point. This addition greatly facilitates the use of this unique tool, already favorably known to Mechanics, Amateurs and Housekeepers.


See Catalogue, page 49, for general description and price.

STANLEY'S UNIVERSAL HAND BEADER.

We are now sending out these Tools Nickel Plated, making them more than ever attractive to buyers. The Hand Beaders have an extensive sale on their merits as a practical tool.

See Catalogue, page 47, for general description and price.

STANLEY'S IMPROVED VICTOR CIRCULAR PLANE.




The Flexible Steel Face of the Plane can be made concave, or convex, by turning the screw which is attached to its centre.

This Plane is an improved form of the "Victor" Adjustable Plane (page 46 of this Catalogue), and is furnished with our latest adjustments, both longitudinal and lateral, together with "Stanley's Patent Improved Plane Irons."

No. 20. Adjustable Circular Plane, Nickeled, $1\frac{3}{4}$ in. Cutter, \$6 00

STANLEY'S IMPROVED SCRUB PLANE.



This Tool has a single Iron, with the cutting edge rounded; and is particularly adapted for roughing down work before using a Jack or other Plane.

No. 40. Iron Stock, $9\frac{1}{2}$ inches in length, $1\frac{1}{4}$ in. Cutter \$1 00

MEMORANDUM.

Improvements have been made in several of the Tools embraced in the pages of our latest Illustrated Catalogue (1892).


Planes Nos. $9\frac{1}{2}$, $9\frac{3}{4}$, 15 and $15\frac{1}{2}$ are now furnished with "Stanley's Patent Lateral Adjustment."

Router Plane No. 71 is accompanied by an additional appliance, which largely increases its usefulness to woodworkers.

Miscellaneous Planes Nos. 45, 46, 47, 50 and 71 are now Nickel-Plated; also, Improved Try Squares No. 12; Eureka Bevels No. 18; and our Magnetic and other Tack Hammers.

STANLEY'S PATENT UNIVERSAL PLANE.

This Tool, in the hands of an ordinary carpenter, can be used for all lines of work covered by a full assortment of so-called Fancy Planes.



No. 55. Stanley's Universal Plane, with 52 Tools, Bits, etc. \$18.00

The Plane is Nickel Plated; the 52 Cutters are arranged in four separate cases; and the entire outfit is packed in a neat Wooden Box.

This Plane consists of :—

A MAIN STOCK (A) with two sets of transverse sliding arms, a depth gauge (F) adjusted by a screw, and a Slitting Cutter with stop.

A SLIDING SECTION (B) with a vertically adjustable bottom.

THE AUXILIARY CENTER BOTTOM (C) is to be placed in front of the Cutter, as an extra support, or stop, when needed. This bottom is adjustable both vertically and laterally.

FENCES (D) AND (E). Fence D has a lateral adjustment by means of a screw, for extra fine work. The Fences can be used on either side of the Plane, and the rosewood guides can be tilted to any desired angle, up to 45°, by loosening the screws on the face. Fence E can be reversed for Center Beading wide boards.

AN ADJUSTABLE STOP to be used in beading the edges of matched boards is inserted on left hand side of sliding section (B).

Each Plane is sold with **Fifty-two (52) Cutters**, marked ♦ on within list. The other Cutters on this list are kept in stock and will be furnished to order.

PRICES OF CUTTERS.


	Cts. each.
Nos. 10, 11, 12, 13, 21, 22, 23	15
Nos. 14, 15, 16, 17, 18, 24, 25, 42, 43, 44, 45, 46, 47, 52, 53, 54, 55, 56, 57, 212, 222, 232	20
Nos. 9, 19, 26, 27	25
Nos. 8, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 213, 223, 233	30
Nos. 214, 224, 234	40
Nos. 61, 62, 63, 71, 72, 73, 81, 82, 83, 91, 92, 93, 101, 102, 103, 111, 112, 113	45
Nos. 1, 2, 5, 6, 64, 65, 66, 74, 75, 76, 84, 85, 86, 94, 95, 96, 104, 105	50
Nos. 106, 114, 115, 116, 215, 225, 235	

Special Gutters will be made to order; or Blanks from which the workman can file up any form he requires, may be ordered.

Grecian Ogees.




Quarter Rounds with Bead.



Reverse Ogees.




Roman Ogees.



Quarter Hollows.



Quarter Rounds.



Hollows.



Rounds.




Plow Dado & Rabbet Tools.




Beading Tools.



Reeding Tools.



Reeding Tools.



Reeding Tools.




Filletster.




Slitting Tool.




Fluting Tools.




Sash Tools.



Match Tools.



STANLEY'S PATENT UNIVERSAL PLANE.




DIRECTIONS.

MOULDING PLANE.—Insert the desired Cutter, and adjust bottom of Sliding Section (B) to conform to the shape of the Cutter; then fasten this Section firmly by means of the check-nuts on the transverse arms. When needed, adjust Auxiliary Center Bottom (C) for an additional support in front of the Cutter. By tilting the rosewood guides on Fences D and E, mouldings of various angles may be formed.

MATCH, SASH, BEADING, REEDING, FLUTING, HOLLOW, ROUND, PLOW, RABBET AND FILLETSTER PLANE.—Use in same manner as for Mouldings. In working Match and Sash Cutters, the Auxiliary Center Bottom (C) may be used as a stop.

DADO.—Remove the Fences (D and E) and set the spurs parallel with the edges of Cutter. Insert long Adjustable Stop on left-hand side of Sliding Section.

SLITTING PLANE.—Insert the Cutter and Stop on right-hand side of Main Stock and use Fence D or E for guide.




CHAMFER.—Insert the desired Cutter; fasten a Fence on each side of the Plane and tilt the rosewood guides to the desired angle.

UNIVERSAL SPOKE SHAVE.




This Spoke Shave has two detachable bottoms, adapting it equally well to circular work or straight: and, by means of a movable width-gauge, the tool can be used in rabbeting.



Both Handles are detachable, and either of them can be screwed into a socket on top of the stock, thus enabling the owner to work into corners, or panels, as no other spoke shave can do.

No. 67. Universal Spoke Shave, for curved or straight work Each. \$1.50

STANLEY'S IMPROVED MARKING AND MORTISE GAUGE.




This Gauge is made of metal, and has two graduated bars. The steel points are attached very near the ends of the bars, to admit of being used close up into a rabbet, or corner.

No. 91. Nickel-plated Marking and Mortise Gauge, one in box, Each. \$0 65

STANLEY'S IMPROVED BUTT GAUGE.

A Metallic Butt Gauge, having one bar with two steel cutters fixed upon it. When the cutter at the outer end of this bar is set for gauging on the edge of the door, the cutter at the inner end of the bar is already set for gauging from the back of the jamb. The other bar has a steel cutter to accurately gauge for the thickness of the butt.

The form of this Tool is convenient for carrying in the pocket. It is so constructed that the bars cannot fall out of the stock.



No. 95. Nickel-plated Butt Gauge, one in a box Each. \$0 75



WHEELER'S PATENT COUNTERSINK. FOR WOOD.

This Countersink works equally well for every variety of screw. The Countersink cuts rapidly, and is easily sharpened by drawing a thin file lengthwise inside of the cutter. By fastening the Gauge at a given point, any number of screws may be driven so as to leave the heads flush with the surface, or at a uniform depth below it.

No.	Per doz.
18. Countersinks, $\frac{1}{2}$ dozen in a box	\$3 00
20. Countersinks, with Gauge, $\frac{1}{2}$ dozen, in a box ...	4 50


STANLEY'S IMPROVED DOWEL SHARPENER.

This Tool is the reverse of the Countersink, and can be sharpened with equal ease. By its use Dowel Pins can be sharpened rapidly and uniformly.

No.	Per Doz.
22. Dowel Sharpener, $\frac{1}{2}$ dozen in a box	\$3 00



STANLEY'S BUTT AND RABBIT GAUGE. For Hanging Doors, Mortising, Marking, etc.



This Gauge has two bars, both of brass, one movable within the other; also three blades or markers. The two steel blades or markers at the extreme end of the inner bar, can be moved to any position by means of the thumb-screw at opposite end of the Gauge.

A Rosewood Head on the outer bar makes the ordinary Marking, or Slitting Gauge. At one end of the outer bar a steel plate or stop is attached; and, in connection with the Rosewood Head set at the proper distance from the plate, a double head for Mortising is made.

When the Head and Plate have been adjusted to the desired width for the mortise, both markers can still be moved by means of the thumb-screw, and the mortise lines set further in from the edge of the work in hand, or brought out nearer to the edge, without disturbing the width of the mortise.

A superior Butt Gauge, for hanging doors, is made by bringing the marker on the upper side of the bar back of, and to any required distance from the outer surface of the steel plate.

Turn the Gauge over, and place this outer surface against the back of the Rabbit in the door-casing. The owner can then gauge correctly for the back leaf of the Butt; and, without changing any of the parts, the inner surface of the steel plate will act as a guide for the other marker in gauging on the edge of the door, for the front leaf of the Butt. The thickness of the plate ($\frac{1}{16}$ th inch), will set off the door sufficiently to clear the jamb, in opening and shutting.

The Rosewood Head should be secured at the end of the bar nearest the thumb-screw, when the Tool is being used as a Butt Gauge. By placing one edge of a Butt between the surface of this Head and the small blade which stands up back of it, the exact thickness of the Butt is ascertained, and can be accurately gauged on both the door-post and the door. The movable Steel Plate affords a perfect guide for gauging in, or near, Rabbits of all kinds.

No.	Per Doz.
92. Improved Butt and Rabbit Gauge, $\frac{1}{2}$ dozen in a box ...	\$15 00